



GENERAL SERVICES AGENCY

(Ahensian Setbision Hinirat)
Government of Guam
148 Route 1 Marine Drive, Piti Guam 96915
Tel: 475-1713 * Telefax: 472-4217; 475-1716; 475-1727

Accountability	*	Impartiality	*	Competence	*	Openness	*	Value
----------------	---	--------------	---	------------	---	----------	---	-------

INVITATION FOR BID NO. : GSA-097-14

DESCRIPTION:

**BACKHOE LOADER 4X2, STREET SWEEPER
AND VIBRATORY ROLLER**

SPECIAL REMINDER TO PROSPECTIVE BIDDERS

Bidders are reminded to read the Sealed Bid Solicitation and Instructions, and General Terms and conditions attached to the IFB to ascertain that all of the following requirements checked below are submitted in the bid enveloped, in duplicate, at the date and time for bid opening.

(X) **BID GUARANTEE** (15% of Bid Amount) May be in the form of;
Reference #11 on the General Terms and Conditions

- a. Cashier's Check or Certified Check
- b. Letter of Credit
- c. Surety Bond – Valid only if accompanied by:
 1. Current Certificate of Authority issued by the Insurance Commissioner;
 2. Power of Attorney issued by the Surety to the Resident General Agent;
 3. Power of Attorney issued by two (2) major officers of the Surety to whoever is signing on their behalf.

(X) **BROCHURES/DESCRIPTIVE LITERATURE;**

(X) **AFFIDAVIT DISCLOSING OWNERSHIP and COMMISSION**

- a. Date of signature of the person authorized to sign the bid and the notary date must be the same.

(X) **OTHER REQUIREMENTS:**

Non-Collusion Affidavit, D.O.L. Wage Determination Affidavit, Restriction against Sexual Offenders Affidavit, No Kickbacks or Gratuities Affidavit and Ethical Standards Affidavit, and Affidavit re Contingent Fees

This reminder must be signed and returned in the bid envelope together with the bid. Failure to comply with the above requirements may be cause for disqualification and rejection of the bid.

On this _____ day of _____, 2014, I, _____,


authorized representative of _____ acknowledge receipt of this special reminder to prospective bidders with the above referenced IFB.

Bidder Representative's Signature

INVITATION FOR BID

ISSUING OFFICE:

GENERAL SERVICES AGENCY
GOVERNMENT OF GUAM
148 ROUTE 1, MARINE DRIVE
PITI, GUAM 96915


CLAUDIA S. ACFALLE
Chief Procurement Officer

DATE ISSUED: August 11, 2014

BID INVITATION NO: GSA-097-14

BID FOR: BACKHOE LOADER 4X2, STREET SWEEPER, AND VIBRATORY ROLLER

SPECIFICATION: **See Attached**

DESTINATION: **DEPARTMENT OF PUBLIC WORKS – HIGHWAY DIVISION**

REQUIRED DELIVERY DATE:

INSTRUCTION TO BIDDERS:

INDICATE WHETHER: INDIVIDUAL PARTNERSHIP CORPORATION

INCORPORATED IN: _____

This bid shall be submitted in duplicate and sealed to the issuing office above no later than (Time) **2:00 PM**, Date: **8/27/14** and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions, and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided, unless otherwise specified by the bidder. In consideration to the expense of the Government in opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remain firm and irrevocable within **60** calendar days from the date opening to supply any or all the items which prices are quoted.

NAME AND ADDRESS OF BIDDER: _____

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS BID: _____

AWARD: CONTRACT NO.: _____ AMOUNT: _____ DATE: _____

ITEM NO(S). AWARDED: _____

CONTRACTING OFFICER:

CLAUDIA S. ACFALLE
Chief Procurement Officer

NAME AND ADDRESS OF CONTRACTOR: _____

SIGNATURE AND TITLE OF PERSON
AUTHORIZED TO SIGN THIS CONTRACT: _____

Invitation for Bid: GSA-097-14

**BACKHOE LOADER 4X2, STREET SWEEPER,
AND VIBRATORY ROLLER**

ACKNOWLEDGEMENT RECEIPT FORM

Please be advised that to be considered a prospective bidder you must fill out this Acknowledgement receipt form. Please submit via facsimile to 475-1727.

Acknowledgement Receipt Form must be submitted no later than three (3) days from issued date.

Name _____
Signature _____
Date _____
Time _____
Contact Number _____
Fax Number _____
Contact Person regarding IFB _____
Title _____
E-Mail Address _____
Company/Firm _____
Address _____

GSA will not be liable for failure to provide notice to any party who did not register contact information.

All questions and concerns must be submitted via facsimile by August 22, 2014 before the close of business.

AFFIDAVIT RE ETHICAL STANDARDS

TERRITORY OF GUAM)
) ss.
HAGATNA, GUAM)

_____ [state name of affiant signing below], being first duly sworn, deposes and says that:

The affiant is _____ [state one of the following: the offeror, a partner of the offeror, an officer of the offeror] making the foregoing identified bid or proposal. To the best of affiant's knowledge, neither affiant nor any officers, representatives, agents, subcontractors or employees of offeror have knowingly influenced any government of Guam employee to breach any of the ethical standards set forth in 5 GCA Chapter 5, Article 11. Further, affiant promises that neither he or she, nor any officer, representative, agent, subcontractor, or employee of offeror will knowingly influence any government of Guam employee to breach any ethical standards set forth in 5 GCA Chapter 5, Article 11. These statements are made pursuant to 2 GAR Division 4 § 11103(b).

Signature of one of the following:
Offeror, if the offeror is an individual;
Partner, if the offeror is a partnership;
Officer, if the offeror is a corporation.

Subscribed and sworn to before me
this _____ day of _____, 201_____.

NOTARY PUBLIC
My commission expires _____.

AFFIDAVIT re NO GRATUITIES or KICKBACKS

TERRITORY OF GUAM)
) ss.
HAGATNA, GUAM)

_____ [state name of affiant signing below], being first duly sworn, deposes and says that:

1. The name of the offering firm or individual is [state name of offeror company] _____ [state one of the following: *the offeror, a partner of the offeror, an officer of the offeror*] making the foregoing identified bid or proposal. Affiant is _____
2. To the best of affiant's knowledge, neither affiant, nor any of the offeror's officers, representatives, agents, subcontractors, or employees have violated, are violating the prohibition against gratuities and kickbacks set forth in 2 GAR Division 4 § 11107(e). Further, affiant promises, on behalf of offeror, not to violate the prohibition against gratuities and kickbacks as set forth in 2 GAR Division 4 § 11107(e).
3. To the best of affiant's knowledge, neither affiant, nor any of the offeror's officers, representatives, agents, subcontractors, or employees have offered, given or agreed to give, any government of Guam employee or former government employee, any payment, gift, kickback, gratuity or offer of employment in connection with the offeror's proposal.
4. I make these statements on behalf of myself as a representative of the offeror, and on behalf of the offeror's officers, representatives, agents, subcontractors, and employees.

Signature of one of the following:
Offeror, if the offeror is an individual;
Partner, if the offeror is a partnership;
Officer, if the offeror is a corporation.

Subscribed and sworn to before me
this ____ day of _____, 201__.

NOTARY PUBLIC
My commission expires _____.

Eddie Baza Calvo
Governor



GENERAL SERVICES AGENCY
Government of Guam
148 Route 1 Marine Drive Corp
Piti, Guam 96915

Ray Tenorio
Lt. Governor

Benita Manglona
Director, Dept. of Admin.

Anthony C. Blaz
Deputy Director

Special Provisions

Restriction against Sex Offenders Employed by service providers to Government of Guam from working on Government Property.

If a contract for services is awarded to the bidder or offeror, then the service provider must warrant that no person in its employment who has been convicted of a sex offense under the provisions of chapter 25 of Title 9 of Guam code Annotated or of an offense defined in Article 2 of chapter 28 of Title 9 of the Guam Code annotated, or who has been convicted in any other jurisdiction of an offense with the same elements as heretofore defined, or who is listed on the Sex Offender Registry, shall provide services on behalf of the service provider while on government of Guam property, with the exception of public highways. If any employee of a service provider is providing services on government property and is convicted subsequent to an award of a contract, then the service provider warrants that it will notify the Government of the conviction within twenty-four (24) hours of the conviction, and will immediately remove such convicted person from providing services on government property. If the service provider is found to be in violation of any of the provisions of this paragraph, then the government will give notice to the service provider to take corrective action. The service provider shall take corrective action within twenty-four (24) hours of notice from the Government, and the service provider shall notify the Government when action has been taken. If the service providers fail to take corrective steps within twenty-four (24) hours of notice from the Government, then the Government in its sole discretion may suspend temporarily and contract for services until corrective action has been taken.

<u>Signature of Bidder</u>	<u>Date</u>
Proposer, if an individual;	
Partner, if a partnership;	
Officer, if a corporation.	

Subscribed and sworn before me this _____ day of _____, 2014

Notary Public

Eddie Baza Calvo
Governor

GENERAL SERVICES AGENCY
Government of Guam
148 Route 1 Marine Drive Corp
Piti, Guam 96915

Ray Tenorio
Lt. Governor



Benita Manglona
Director, Dept. of Admin.

Anthony C. Blaz
Deputy Director

FORM E
DECLARATION RE COMPLIANCE WITH U.S. D.O.L. WAGE DETERMINATION

Procurement No: **GSA-097-14**
BACKHOE LOADER 4X2, STREET SWEEPER, AND VIBRATORY ROLLER

Name of Offeror Company: _____ hereby certifies under penalty of perjury:

- (1) That I am _____ (the offeror, a partner of the offeror, an officer of the offeror) making the bid or proposal in the foregoing identified procurement;
- (2) That I have read and understand the provisions of 5 GCA § 5801 and § 5802 which read:

§ 5801. Wage Determination Established.

In such cases where the government of Guam enters into contractual arrangements with a sole proprietorship, a partnership or a corporation ("contractor") for the provision of a service to the government of Guam, and in such cases where the contractor employs a person(s) whose purpose, in whole or in part, is the direct delivery of service contracted by the government of Guam, then the contractor shall pay such employee(s) in accordance with the Wage Determination for Guam and the Northern Mariana Islands issued and promulgated by the U.S. Department of Labor for such labor as is employed in the direct delivery of contract deliverables to the government of Guam.

The Wage Determination most recently issued by the U.S. Department of Labor at the time a contract is awarded to a contractor by the government of Guam shall be used to determine wages, which shall be paid to employees pursuant to this Article. Should any contract contain a renewal clause, then at the time of renewal adjustments, there shall be made stipulations contained in that contract for applying the Wage Determination, as required by this Article, so that the Wage Determination promulgated by the U.S. Department of Labor on a date most recent to the renewal date shall apply.

§ 5802. Benefits.

In addition to the Wage Determination detailed in this Article, any contract to which this Article applies shall also contain provisions mandating health and similar benefits for employees covered by this Article, such benefits having a minimum value as detailed in the Wage Determination issued and promulgated by the U.S. Department of Labor, and shall contain provisions guaranteeing a minimum of ten (10) paid holidays per annum per employee.

- (3) That the offeror is in full compliance with 5 GCA § 5801 and § 5802, as may be applicable to the procurement referenced herein;
- (4) That I have attached the most recent wage determination applicable to Guam issued by the U.S. Department of Labor. [INSTRUCTIONS – Please attach!]

Signature _____ Date

REGISTER OF WAGE DETERMINATIONS UNDER | U.S. DEPARTMENT OF LABOR
 THE SERVICE CONTRACT ACT | EMPLOYMENT STANDARDS ADMINISTRATION
 By direction of the Secretary of Labor | WAGE AND HOUR DIVISION
 WASHINGTON D.C. 20210

Diane C. Koplewski | Division of | Wage Determination No.: 2005-2147
 Director | Wage Determinations | Revision No.: 16
 | | Date Of Revision: 07/25/2014

States: Guam, Northern Marianas, Wake Island

Area: Guam Statewide
 Northern Marianas Statewide
 Wake Island Statewide

Fringe Benefits Required Follow the Occupational Listing

OCCUPATION CODE - TITLE	FOOTNOTE	RATE
01000 - Administrative Support And Clerical Occupations		
01011 - Accounting Clerk I		12.50
01012 - Accounting Clerk II		13.53
01013 - Accounting Clerk III		15.59
01020 - Administrative Assistant		17.67
01040 - Court Reporter		15.38
01051 - Data Entry Operator I		10.48
01052 - Data Entry Operator II		11.99
01060 - Dispatcher, Motor Vehicle		13.06
01070 - Document Preparation Clerk		12.25
01090 - Duplicating Machine Operator		12.25
01111 - General Clerk I		10.29
01112 - General Clerk II		11.28
01113 - General Clerk III		12.32
01120 - Housing Referral Assistant		17.15
01141 - Messenger Courier		10.12
01191 - Order Clerk I		11.23
01192 - Order Clerk II		12.25
01261 - Personnel Assistant (Employment) I		14.33
01262 - Personnel Assistant (Employment) II		14.90
01263 - Personnel Assistant (Employment) III		16.48
01270 - Production Control Clerk		18.34
01280 - Receptionist		9.67
01290 - Rental Clerk		11.10
01300 - Scheduler, Maintenance		13.75
01311 - Secretary I		13.75
01312 - Secretary II		15.38
01313 - Secretary III		17.15
01320 - Service Order Dispatcher		11.57
01410 - Supply Technician		17.67
01420 - Survey Worker		15.26
01531 - Travel Clerk I		11.61
01532 - Travel Clerk II		12.57
01533 - Travel Clerk III		13.44
01611 - Word Processor I		12.25
01612 - Word Processor II		13.75
01613 - Word Processor III		15.38
05000 - Automotive Service Occupations		
05005 - Automobile Body Repairer, Fiberglass		13.34
05010 - Automotive Electrician		13.06
05040 - Automotive Glass Installer		12.10
05070 - Automotive Worker		12.10

05110 - Mobile Equipment Servicer	8.59
05130 - Motor Equipment Metal Mechanic	13.06
05160 - Motor Equipment Metal Worker	12.10
05190 - Motor Vehicle Mechanic	13.06
05220 - Motor Vehicle Mechanic Helper	10.12
05250 - Motor Vehicle Upholstery Worker	12.10
05280 - Motor Vehicle Wrecker	12.10
05310 - Painter, Automotive	12.37
05340 - Radiator Repair Specialist	12.10
05370 - Tire Repairer	7.81
05400 - Transmission Repair Specialist	12.10
07000 - Food Preparation And Service Occupations	
07010 - Baker	10.47
07041 - Cook I	9.54
07042 - Cook II	11.78
07070 - Dishwasher	7.25
07130 - Food Service Worker	7.78
07210 - Meat Cutter	11.86
07260 - Waiter/Waitress	7.59
09000 - Furniture Maintenance And Repair Occupations	
09010 - Electrostatic Spray Painter	14.38
09040 - Furniture Handler	8.85
09080 - Furniture Refinisher	14.38
09090 - Furniture Refinisher Helper	10.66
09110 - Furniture Repairer, Minor	12.51
09130 - Upholsterer	14.38
11000 - General Services And Support Occupations	
11030 - Cleaner, Vehicles	8.23
11060 - Elevator Operator	8.23
11090 - Gardener	10.99
11122 - Housekeeping Aide	8.33
11150 - Janitor	8.23
11210 - Laborer, Grounds Maintenance	9.14
11240 - Maid or Houseman	7.25
11260 - Pruner	8.23
11270 - Tractor Operator	10.33
11330 - Trail Maintenance Worker	9.14
11360 - Window Cleaner	9.14
12000 - Health Occupations	
12010 - Ambulance Driver	15.81
12011 - Breath Alcohol Technician	15.81
12012 - Certified Occupational Therapist Assistant	21.70
12015 - Certified Physical Therapist Assistant	21.70
12020 - Dental Assistant	13.20
12025 - Dental Hygienist	29.85
12030 - EKG Technician	23.96
12035 - Electroneurodiagnostic Technologist	23.96
12040 - Emergency Medical Technician	15.81
12071 - Licensed Practical Nurse I	14.14
12072 - Licensed Practical Nurse II	15.81
12073 - Licensed Practical Nurse III	17.63
12100 - Medical Assistant	11.54
12130 - Medical Laboratory Technician	14.14
12160 - Medical Record Clerk	11.82
12190 - Medical Record Technician	13.59
12195 - Medical Transcriptionist	14.14
12210 - Nuclear Medicine Technologist	34.75
12221 - Nursing Assistant I	10.03
12222 - Nursing Assistant II	11.30
12223 - Nursing Assistant III	12.31
12224 - Nursing Assistant IV	13.84
12235 - Optical Dispenser	15.81
12236 - Optical Technician	14.14

12250 - Pharmacy Technician	13.41
12280 - Phlebotomist	13.84
12305 - Radiologic Technologist	22.64
12311 - Registered Nurse I	20.70
12312 - Registered Nurse II	25.32
12313 - Registered Nurse II, Specialist	25.32
12314 - Registered Nurse III	30.64
12315 - Registered Nurse III, Anesthetist	30.64
12316 - Registered Nurse IV	36.72
12317 - Scheduler (Drug and Alcohol Testing)	19.59
13000 - Information And Arts Occupations	
13011 - Exhibits Specialist I	15.06
13012 - Exhibits Specialist II	18.66
13013 - Exhibits Specialist III	22.83
13041 - Illustrator I	15.06
13042 - Illustrator II	18.66
13043 - Illustrator III	22.83
13047 - Librarian	20.66
13050 - Library Aide/Clerk	12.00
13054 - Library Information Technology Systems Administrator	18.66
13058 - Library Technician	15.06
13061 - Media Specialist I	13.46
13062 - Media Specialist II	15.06
13063 - Media Specialist III	16.80
13071 - Photographer I	12.82
13072 - Photographer II	14.32
13073 - Photographer III	17.75
13074 - Photographer IV	21.73
13075 - Photographer V	26.30
13110 - Video Teleconference Technician	12.91
14000 - Information Technology Occupations	
14041 - Computer Operator I	13.65
14042 - Computer Operator II	15.76
14043 - Computer Operator III	17.56
14044 - Computer Operator IV	19.50
14045 - Computer Operator V	21.81
14071 - Computer Programmer I	(see 1)
14072 - Computer Programmer II	(see 1)
14073 - Computer Programmer III	(see 1)
14074 - Computer Programmer IV	(see 1)
14101 - Computer Systems Analyst I	(see 1)
14102 - Computer Systems Analyst II	(see 1)
14103 - Computer Systems Analyst III	(see 1)
14150 - Peripheral Equipment Operator	13.65
14160 - Personal Computer Support Technician	19.50
15000 - Instructional Occupations	
15010 - Aircrew Training Devices Instructor (Non-Rated)	24.23
15020 - Aircrew Training Devices Instructor (Rated)	29.32
15030 - Air Crew Training Devices Instructor (Pilot)	33.30
15050 - Computer Based Training Specialist / Instructor	24.23
15060 - Educational Technologist	22.82
15070 - Flight Instructor (Pilot)	33.30
15080 - Graphic Artist	20.47
15090 - Technical Instructor	17.65
15095 - Technical Instructor/Course Developer	21.58
15110 - Test Proctor	13.87
15120 - Tutor	13.87
16000 - Laundry, Dry-Cleaning, Pressing And Related Occupations	
16010 - Assembler	8.08
16030 - Counter Attendant	8.08
16040 - Dry Cleaner	9.34
16070 - Finisher, Flatwork, Machine	8.08

16090 - Presser, Hand	8.08
16110 - Presser, Machine, Dry Cleaning	8.08
16130 - Presser, Machine, Shirts	8.08
16160 - Presser, Machine, Wearing Apparel, Laundry	8.08
16190 - Sewing Machine Operator	9.86
16220 - Tailor	10.33
16250 - Washer, Machine	8.46
19000 - Machine Tool Operation And Repair Occupations	
19010 - Machine-Tool Operator (Tool Room)	14.49
19040 - Tool And Die Maker	18.20
21000 - Materials Handling And Packing Occupations	
21020 - Forklift Operator	12.49
21030 - Material Coordinator	18.34
21040 - Material Expediter	18.34
21050 - Material Handling Laborer	10.65
21071 - Order Filler	9.66
21080 - Production Line Worker (Food Processing)	12.49
21110 - Shipping Packer	13.33
21130 - Shipping/Receiving Clerk	13.33
21140 - Store Worker I	13.23
21150 - Stock Clerk	18.58
21210 - Tools And Parts Attendant	12.49
21410 - Warehouse Specialist	12.49
23000 - Mechanics And Maintenance And Repair Occupations	
23010 - Aerospace Structural Welder	20.69
23021 - Aircraft Mechanic I	19.70
23022 - Aircraft Mechanic II	20.69
23023 - Aircraft Mechanic III	21.74
23040 - Aircraft Mechanic Helper	13.70
23050 - Aircraft, Painter	18.50
23060 - Aircraft Servicer	16.09
23080 - Aircraft Worker	17.38
23110 - Appliance Mechanic	14.49
23120 - Bicycle Repairer	9.74
23125 - Cable Splicer	15.43
23130 - Carpenter, Maintenance	13.00
23140 - Carpet Layer	13.55
23160 - Electrician, Maintenance	14.99
23181 - Electronics Technician Maintenance I	14.72
23182 - Electronics Technician Maintenance II	15.05
23183 - Electronics Technician Maintenance III	18.31
23260 - Fabric Worker	12.60
23290 - Fire Alarm System Mechanic	15.43
23310 - Fire Extinguisher Repairer	11.67
23311 - Fuel Distribution System Mechanic	15.43
23312 - Fuel Distribution System Operator	13.01
23370 - General Maintenance Worker	11.95
23380 - Ground Support Equipment Mechanic	19.70
23381 - Ground Support Equipment Servicer	16.09
23382 - Ground Support Equipment Worker	17.38
23391 - Gunsmith I	11.67
23392 - Gunsmith II	13.55
23393 - Gunsmith III	15.43
23410 - Heating, Ventilation And Air-Conditioning Mechanic	15.76
23411 - Heating, Ventilation And Air Conditioning Mechanic (Research Facility)	16.55
23430 - Heavy Equipment Mechanic	15.15
23440 - Heavy Equipment Operator	13.73
23460 - Instrument Mechanic	15.43
23465 - Laboratory/Shelter Mechanic	14.49
23470 - Laborer	10.65
23510 - Locksmith	14.49

23530 - Machinery Maintenance Mechanic	17.38
23550 - Machinist, Maintenance	15.43
23580 - Maintenance Trades Helper	9.92
23591 - Metrology Technician I	15.43
23592 - Metrology Technician II	16.41
23593 - Metrology Technician III	17.37
23640 - Millwright	15.43
23710 - Office Appliance Repairer	14.38
23760 - Painter, Maintenance	13.55
23790 - Pipefitter, Maintenance	15.32
23810 - Plumber, Maintenance	14.38
23820 - Pneumatic Systems Mechanic	15.43
23850 - Rigger	15.43
23870 - Scale Mechanic	13.55
23890 - Sheet-Metal Worker, Maintenance	15.21
23910 - Small Engine Mechanic	13.55
23931 - Telecommunications Mechanic I	19.01
23932 - Telecommunications Mechanic II	19.76
23950 - Telephone Lineman	18.24
23960 - Welder, Combination, Maintenance	14.66
23965 - Well Driller	15.43
23970 - Woodcraft Worker	15.43
23980 - Woodworker	11.67
24000 - Personal Needs Occupations	
24570 - Child Care Attendant	10.09
24580 - Child Care Center Clerk	12.58
24610 - Chore Aide	12.43
24620 - Family Readiness And Support Services Coordinator	12.44
24630 - Homemaker	16.12
25000 - Plant And System Operations Occupations	
25010 - Boiler Tender	15.43
25040 - Sewage Plant Operator	14.49
25070 - Stationary Engineer	15.43
25190 - Ventilation Equipment Tender	10.73
25210 - Water Treatment Plant Operator	14.49
27000 - Protective Service Occupations	
27004 - Alarm Monitor	10.90
27007 - Baggage Inspector	7.35
27008 - Corrections Officer	12.05
27010 - Court Security Officer	12.05
27030 - Detection Dog Handler	10.90
27040 - Detention Officer	12.05
27070 - Firefighter	12.05
27101 - Guard I	7.37
27102 - Guard II	10.90
27131 - Police Officer I	12.05
27132 - Police Officer II	13.40
28000 - Recreation Occupations	
28041 - Carnival Equipment Operator	9.53
28042 - Carnival Equipment Repairer	10.08
28043 - Carnival Equipment Worker	7.78
28210 - Gate Attendant/Gate Tender	13.18
28310 - Lifeguard	11.01
28350 - Park Attendant (Aide)	14.74
28510 - Recreation Aide/Health Facility Attendant	10.76
28515 - Recreation Specialist	18.26
28630 - Sports Official	11.74
28690 - Swimming Pool Operator	17.71
29000 - Stevedoring/Longshoremen Occupational Services	
29010 - Blocker And Bracer	15.20
29020 - Hatch Tender	15.20

29030 - Line Handler	15.20
29041 - Stevedore I	14.22
29042 - Stevedore II	16.25
30000 - Technical Occupations	
30010 - Air Traffic Control Specialist, Center (HFO)	(see 2) 35.77
30011 - Air Traffic Control Specialist, Station (HFO)	(see 2) 24.66
30012 - Air Traffic Control Specialist, Terminal (HFO)	(see 2) 27.16
30021 - Archeological Technician I	17.49
30022 - Archeological Technician II	19.56
30023 - Archeological Technician III	24.21
30030 - Cartographic Technician	23.18
30040 - Civil Engineering Technician	21.93
30061 - Drafter/CAD Operator I	17.49
30062 - Drafter/CAD Operator II	19.56
30063 - Drafter/CAD Operator III	20.74
30064 - Drafter/CAD Operator IV	24.21
30081 - Engineering Technician I	14.62
30082 - Engineering Technician II	16.41
30083 - Engineering Technician III	18.36
30084 - Engineering Technician IV	22.34
30085 - Engineering Technician V	27.83
30086 - Engineering Technician VI	33.66
30090 - Environmental Technician	21.10
30210 - Laboratory Technician	20.74
30240 - Mathematical Technician	23.34
30361 - Paralegal/Legal Assistant I	19.06
30362 - Paralegal/Legal Assistant II	21.53
30363 - Paralegal/Legal Assistant III	26.35
30364 - Paralegal/Legal Assistant IV	30.80
30390 - Photo-Optics Technician	21.93
30461 - Technical Writer I	22.17
30462 - Technical Writer II	27.10
30463 - Technical Writer III	32.79
30491 - Unexploded Ordnance (UXO) Technician I	22.74
30492 - Unexploded Ordnance (UXO) Technician II	27.51
30493 - Unexploded Ordnance (UXO) Technician III	32.97
30494 - Unexploded (UXO) Safety Escort	22.74
30495 - Unexploded (UXO) Sweep Personnel	22.74
30620 - Weather Observer, Combined Upper Air Or Surface Programs	(see 2) 20.74
30621 - Weather Observer, Senior	(see 2) 23.00
31000 - Transportation/Mobile Equipment Operation Occupations	
31020 - Bus Aide	8.15
31030 - Bus Driver	9.69
31043 - Driver Courier	8.97
31260 - Parking and Lot Attendant	7.25
31290 - Shuttle Bus Driver	9.99
31310 - Taxi Driver	8.21
31361 - Truck Driver, Light	8.97
31362 - Truck Driver, Medium	11.61
31363 - Truck Driver, Heavy	12.48
31364 - Truck Driver, Tractor-Trailer	12.48
99000 - Miscellaneous Occupations	
99030 - Cashier	7.46
99050 - Desk Clerk	9.70
99095 - Embalmer	22.74
99251 - Laboratory Animal Caretaker I	16.24
99252 - Laboratory Animal Caretaker II	17.04
99310 - Mortician	22.74
99410 - Pest Controller	13.28
99510 - Photofinishing Worker	11.95
99710 - Recycling Laborer	10.76

99711 - Recycling Specialist	16.27
99730 - Refuse Collector	10.24
99810 - Sales Clerk	8.95
99820 - School Crossing Guard	15.03
99830 - Survey Party Chief	20.30
99831 - Surveying Aide	11.54
99832 - Surveying Technician	15.00
99840 - Vending Machine Attendant	20.19
99841 - Vending Machine Repairer	23.57
99842 - Vending Machine Repairer Helper	20.19

ALL OCCUPATIONS LISTED ABOVE RECEIVE THE FOLLOWING BENEFITS:

HEALTH & WELFARE: \$4.02 per hour or \$160.80 per week or \$696.79 per month

VACATION: 2 weeks paid vacation after 1 year of service with a contractor or successor; and 4 weeks after 3 years. Length of service includes the whole span of continuous service with the present contractor or successor, wherever employed, and with the predecessor contractors in the performance of similar work at the same Federal facility. (Reg. 29 CFR 4.173)

HOLIDAYS: A minimum of ten paid holidays per year, New Year's Day, Martin Luther King Jr's Birthday, Washington's Birthday, Memorial Day, Independence Day, Labor Day, Columbus Day, Veterans' Day, Thanksgiving Day, and Christmas Day. (A contractor may substitute for any of the named holidays another day off with pay in accordance with a plan communicated to the employees involved.) (See 29 CFR 4174)

THE OCCUPATIONS WHICH HAVE NUMBERED FOOTNOTES IN PARENTHESES RECEIVE THE FOLLOWING:

1) COMPUTER EMPLOYEES: Under the SCA at section 8(b), this wage determination does not apply to any employee who individually qualifies as a bona fide executive, administrative, or professional employee as defined in 29 C.F.R. Part 541. Because most Computer System Analysts and Computer Programmers who are compensated at a rate not less than \$27.63 (or on a salary or fee basis at a rate not less than \$455 per week) an hour would likely qualify as exempt computer professionals, (29 C.F.R. 541. 400) wage rates may not be listed on this wage determination for all occupations within those job families. In addition, because this wage determination may not list a wage rate for some or all occupations within those job families if the survey data indicates that the prevailing wage rate for the occupation equals or exceeds \$27.63 per hour conformances may be necessary for certain nonexempt employees. For example, if an individual employee is nonexempt but nevertheless performs duties within the scope of one of the Computer Systems Analyst or Computer Programmer occupations for which this wage determination does not specify an SCA wage rate, then the wage rate for that employee must be conformed in accordance with the conformance procedures described in the conformance note included on this wage determination.

Additionally, because job titles vary widely and change quickly in the computer industry, job titles are not determinative of the application of the computer professional exemption. Therefore, the exemption applies only to computer employees who satisfy the compensation requirements and whose primary duty consists of:

- (1) The application of systems analysis techniques and procedures, including consulting with users, to determine hardware, software or system functional specifications;
- (2) The design, development, documentation, analysis, creation, testing or modification of computer systems or programs, including prototypes, based on and related to user or system design specifications;
- (3) The design, documentation, testing, creation or modification of computer programs related to machine operating systems; or
- (4) A combination of the aforementioned duties, the performance of which requires the same level of skills. (29 C.F.R. 541.400).

2) AIR TRAFFIC CONTROLLERS AND WEATHER OBSERVERS - NIGHT PAY & SUNDAY PAY: If you work at night as part of a regular tour of duty, you will earn a night differential and receive an additional 10% of basic pay for any hours worked between 6pm and 6am. If you are a full-time employed (40 hours a week) and Sunday is part of your regularly scheduled workweek, you are paid at your rate of basic pay plus a Sunday premium of 25% of your basic rate for each hour of Sunday work which is not overtime (i.e. occasional work on Sunday outside the normal tour of duty is considered overtime work).

HAZARDOUS PAY DIFFERENTIAL: An 8 percent differential is applicable to employees employed in a position that represents a high degree of hazard when working with or in close proximity to ordnance, explosives, and incendiary materials. This includes work such as screening, blending, dyeing, mixing, and pressing of sensitive ordnance, explosives, and pyrotechnic compositions such as lead azide, black powder and photoflash powder. All dry-house activities involving propellants or explosives. Demilitarization, modification, renovation, demolition, and maintenance operations on sensitive ordnance, explosives and incendiary materials. All operations involving regrading and cleaning of artillery ranges.

A 4 percent differential is applicable to employees employed in a position that represents a low degree of hazard when working with, or in close proximity to ordnance, (or employees possibly adjacent to) explosives and incendiary materials which involves potential injury such as laceration of hands, face, or arms of the employee engaged in the operation, irritation of the skin, minor burns and the like; minimal damage to immediate or adjacent work area or equipment being used. All operations involving, unloading, storage, and hauling of ordnance, explosive, and incendiary ordnance material other than small arms ammunition. These differentials are only applicable to work that has been specifically designated by the agency for ordnance, explosives, and incendiary material differential pay.

**** UNIFORM ALLOWANCE ****

If employees are required to wear uniforms in the performance of this contract (either by the terms of the Government contract, by the employer, by the state or local law, etc.), the cost of furnishing such uniforms and maintaining (by laundering or dry cleaning) such uniforms is an expense that may not be borne by an employee where such cost reduces the hourly rate below that required by the wage determination. The Department of Labor will accept payment in accordance with the following standards as compliance:

The contractor or subcontractor is required to furnish all employees with an adequate number of uniforms without cost or to reimburse employees for the actual cost of the uniforms. In addition, where uniform cleaning and maintenance is made the responsibility of the employee, all contractors and subcontractors subject to this wage determination shall (in the absence of a bona fide collective bargaining agreement providing for a different amount, or the furnishing of contrary affirmative proof as to the actual cost), reimburse all employees for such cleaning and maintenance at a rate of \$3.35 per week (or \$.67 cents per day). However, in those instances where the uniforms furnished are made of "wash and wear" materials, may be routinely washed and dried with other personal garments, and do not require any special treatment such as dry cleaning, daily washing, or commercial laundering in order to meet the cleanliness or appearance standards set by the terms of the Government contract, by the contractor, by law, or by the nature of the work, there is no requirement that employees be reimbursed for uniform maintenance costs.

The duties of employees under job titles listed are those described in the "Service Contract Act Directory of Occupations", Fifth Edition, April 2006, unless otherwise indicated. Copies of the Directory are available on the Internet. A link to the Directory may be found on the WHD home page at <http://www.dol.gov/esa/whd/> or through the Wage Determinations On-Line (WDOL) Web site at <http://wdol.gov/>.

REQUEST FOR AUTHORIZATION OF ADDITIONAL CLASSIFICATION AND WAGE RATE {Standard Form 1444 (SF 1444)}

Conformance Process:

The contracting officer shall require that any class of service employee which is not listed herein and which is to be employed under the contract (i.e., the work to be performed is not performed by any classification listed in the wage determination), be classified by the contractor so as to provide a reasonable relationship (i.e., appropriate level of skill comparison) between such unlisted classifications and the classifications listed in the wage determination. Such conformed classes of employees shall be paid the monetary wages and furnished the fringe benefits as are determined. Such conforming process shall be initiated by the contractor prior to the performance of contract work by such unlisted class(es) of employees. The conformed classification, wage rate, and/or fringe benefits shall be retroactive to the commencement date of the contract. {See Section 4.6 (C)(vi)} When multiple wage determinations are included in a contract, a separate SF 1444 should be prepared for each wage determination to which a class(es) is to be conformed.

The process for preparing a conformance request is as follows:

- 1) When preparing the bid, the contractor identifies the need for a conformed occupation(s) and computes a proposed rate(s).

2) After contract award, the contractor prepares a written report listing in order proposed classification title(s), a Federal grade equivalency (FGE) for each proposed classification(s), job description(s), and rationale for proposed wage rate(s), including information regarding the agreement or disagreement of the authorized representative of the employees involved, or where there is no authorized representative, the employees themselves. This report should be submitted to the contracting officer no later than 30 days after such unlisted class(es) of employees performs any contract work.

3) The contracting officer reviews the proposed action and promptly submits a report of the action, together with the agency's recommendations and pertinent information including the position of the contractor and the employees, to the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, for review. (See section 4.6(b)(2) of Regulations 29 CFR Part 4).

4) Within 30 days of receipt, the Wage and Hour Division approves, modifies, or disapproves the action via transmittal to the agency contracting officer, or notifies the contracting officer that additional time will be required to process the request.

5) The contracting officer transmits the Wage and Hour decision to the contractor.

6) The contractor informs the affected employees.

Information required by the Regulations must be submitted on SF 1444 or bond paper.

When preparing a conformance request, the "Service Contract Act Directory of Occupations" (the Directory) should be used to compare job definitions to insure that duties requested are not performed by a classification already listed in the wage determination. Remember, it is not the job title, but the required tasks that determine whether a class is included in an established wage determination. Conformances may not be used to artificially split, combine, or subdivide classifications listed in the wage determination.

Eddie Baza Calvo
Governor

GENERAL SERVICES AGENCY
Government of Guam
148 Route 1 Marine Drive Corp
Piti, Guam 96915

Ray Tenorio
Lt. Governor



Benita Manglona
Director, Dept. of Admin.

Anthony C. Blaz
Deputy Director

AFFIDAVIT re NON-COLLUSION

TERRITORY OF GUAM)
) ss.
HAGATNA, GUAM)

_____ [state name of affiant signing below], being first duly sworn,
deposes and says that:

1. The name of the offering company or individual is [state name of company]
_____.
2. The proposal for the solicitation identified above is genuine and not collusive or a sham. The offeror has not colluded, conspired, connived or agreed, directly or indirectly, with any other offeror or person, to put in a sham proposal or to refrain from making an offer. The offeror has not in any manner, directly or indirectly, sought by an agreement or collusion, or communication or conference, with any person to fix the proposal price of offeror or of any other offeror, or to fix any overhead, profit or cost element of said proposal price, or of that of any other offeror, or to secure any advantage against the government of Guam or any other offeror, or to secure any advantage against the government of Guam or any person interested in the proposed contract. All statements in this affidavit and in the proposal are true to the best of the knowledge of the undersigned. This statement is made pursuant to 2 GAR Division 4 § 3126(b).

3. I make this statement on behalf of myself as a representative of the offeror, and on behalf of the offeror's officers, representatives, agents, subcontractors, and employees.

Signature of one of the following:
Offeror, if the offeror is an individual;
Partner, if the offeror is a partnership;
Officer, if the offeror is a corporation.

Subscribed and sworn to before me
this ____ day of _____, 201__.

NOTARY PUBLIC
My commission expires _____.

AFFIDAVIT DISCLOSING OWNERSHIP and COMMISSION

TERRITORY OF GUAM)
) SS:
 HAGATNA, GUAM)

A. I, the undersigned, being first duly sworn, depose and say that I am an authorized representative of the offeror and that [please check only one]:

[] The offeror is an individual or sole proprietor and owns the entire (100%) interest in the offering business.

[] The offeror is a corporation, partnership, joint venture, or association known as _____ [please state name of offeror company], and the persons, companies, partners, or joint venturers who have held more than 10% of the shares of interest in the offering business during the 365 days immediately preceding the submission date of the proposal are as follows [if none, please so state]

<u>Name</u>	<u>Address</u>	<u>% of Interest</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

B. Further, I say that the persons who have received or are entitled to receive a commission, gratuity or other compensation for procuring or assisting in obtaining business related to the bid or proposal for which this affidavit is submitted are as follows [if none, please so state]:

<u>Name</u>	<u>Address</u>	<u>Compensation</u>
_____	_____	_____

C. If the ownership of the offering business should change between the time this affidavit is made and the time an award is made or a contract is entered into, then I promise personally to update the disclosure required by 5 GCA §5233 by delivering another affidavit to the government.

Signature of one of the following:
 Offeror, if the offeror is an individual;
 Partner, if the offeror is a partnership;
 Officer, if the offeror is a corporation.

Subscribed and sworn to before me
 this ____ day of _____, 201__.

NOTARY PUBLIC
 My commission expires _____

AFFIDAVIT re CONTINGENT FEES

TERRITORY OF GUAM)
) SS:
HAGATNA, GUAM)

_____ [state name of affiant signing below], being first sworn,
deposes and says that:

1. The name of the offering company or individual is [state name of company]

2. As a part of the offering company's bid or proposal, to the best of my knowledge, the offering company has not retained any person or agency on a percentage, commission, or other contingent arrangement to secure this contract. This statement is made pursuant to 2 GAR Division 4 § 11108(f).

3. As a part of the offering company's bid or proposal, to the best of my knowledge, the offering company has not retained a person to solicit or secure a contract with the government of Guam upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies for the purpose of securing business. This statement is made pursuant to 2 GAR Division 4 § 11108(f).

4. I make these statements on behalf of myself as a representative of the offeror, and on behalf of the offeror's officers, representatives, agents, subcontractors, and employees.

Signature of one of the following:
Offeror, if the offeror is an individual;
Partner, if the offeror is a partnership;
Officer, if the offeror is a corporation.

Subscribed and sworn to before me
this _____ day of _____, 201____

NOTARY PUBLIC
My commission expires _____

GOVERNMENT OF GUAM

GENERAL SERVICES AGENCY
148 Route 1, Marine Corp. Drive
Piti, Guam 96915

BID BOND

NO. _____

KNOW ALL MEN BY THESE PRESENTS that _____, as
Principal hereinafter called the Principal, and (Bonding Company),
A duly admitted insurer under the laws of the Territory of Guam, as Surety, hereinafter called the Surety are
Held firmly bound unto the Territory of Guam for the sum of _____
Dollars (\$ _____), for Payment of which sum will
and truly to be made, the said Principal and the said Surety bind ourselves, our heirs, executors,
administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS, the Principal has submitted a bid for (identify project by number and brief description)

NOW, THEREFORE, if the Territory of Guam shall accept the bid of the Principal and the Principal shall enter into a Contract with the Territory of Guam in accordance with the terms of such bid, and give such bond or bonds as may be specified in bidding or Contract Documents with good and sufficient surety for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof, or in the event of the failure of the Principal to enter such Contract and give such bond or bonds, if the Principal shall pay to the Territory of Guam the difference not to exceed the penalty hereof between the amounts specified in said bid and such larger amount for which the Territory of Guam may in good faith contract with another party to perform work covered by said bid or an appropriate liquidated amount as specified in the Invitation for Bids then this obligation shall be null and void, otherwise to remain full force and effect.

Signed and sealed this _____ day of _____ 2014

(SEAL)

(PRINCIPAL)

(WITNESS)

(TITLE)

(MAJOR OFFICER OF SURETY)

(MAJOR OFFICER OF SURETY)

(TITLE)

(TITLE)

(RESIDENT GENERAL AGENT)

INSTRUCTION TO PROVIDERS:

NOTICE to all Insurance and Bonding Institutions:

The Bond requires the signatures of the Vendor, two (2) major Officers of the Surety and Resident General Agent, if the Surety is a foreign or alien surety.

When the form is submitted to General Services Agency, it should be accompanied with copies of The following:

1. Current Certificate of Authority to do business on Guam issued by the Department of Revenue and Taxation.
2. Power of Attorney issued by the Surety to the Resident General Agent.
3. Power of Attorney issued by two (2) major officers of the Surety to whoever is signing on their behalf.

Bonds, submitted as Bid Guarantee, without signatures and supporting documents are invalid and Bids will be rejected.

**GOVERNMENT OF GUAM
GENERAL TERMS AND CONDITIONS**

SEALED BID SOLICITATION AND AWARD

Only those Boxes checked below are applicable to this bid.

1. **AUTHORITY:** This solicitation is issued subject to all the provision of the Guam Procurement Act (5GCA, Chapter 5) and the Guam Procurement Regulations (copies of both are available at the Office of the Comptroller of Laws, Department of Law, copies available for inspection at General Services Agency). It requires all parties involved in the Preparation, negotiation, performance, or administration of contracts to act in good faith.
2. **GENERAL INTENTION:** Unless otherwise specified, it is the declared and acknowledged intention and meaning of these General Terms and conditions for the bidder to provide the Government of Guam (Government) with specified services or with materials, supplies or equipment completely assembled and ready for use.
3. **TAXES:** Bidders are cautioned that they are subject to Guam Income Taxes as well as all other taxes on Guam Transactions. Specific information on taxes may be obtained from the Director of Revenue and Taxation.
4. **LICENSING:** Bidders are cautioned that the Government will not consider for award any offer submitted by a bidder who has not complied with the Guam Licensing Law. Specific information on licenses may be obtained from the Director of Revenue and Taxation.
5. **LOCAL PROCUREMENT PREFERENCE:** All procurement of supplies and services where possible, will be made from among businesses licensed to do business on Guam in accordance with section 5008 of the Guam Procurement Act (5GCA, Chapter 5) and Section 1-104 of the Guam Procurement Regulations.
6. **COMPLIANCE WITH SPECIFICATIONS AND OTHER SOLICITATION REQUIREMENTS:**
Bidders shall comply with all specifications and other requirements of the Solicitation.
7. **“ALL OR NONE” BIDS: NOTE:** By checking this item, the Government is requesting all of the bid items to be bided or none at all. The Government will not award on an itemized basis.
8. **INDEPENDENT PRICE DETERMINATION:** The bidder, upon signing the Invitation for Bid, certifies that the prices in his bid were derived at without collusion, and acknowledge that collusion and anti-competitive practices are prohibited by law. Violations will be subject to the provision of Section 5651 of that of the Guam Procurement Act. Other existing civil, criminal or administrative remedies are not impaired and may be in addition to the remedies in Section 5651 of the Government code.
9. **BIDDER'S PRICE:** The Government will consider not more than two (2) (Basic and Alternate) item prices and the bidder shall explain fully each price if supplies, materials, equipment, and/or specified services offered comply with specifications and the products origin. Where basic or alternate bid meets the minimum required specification, cost and other factors will be considered. Failure to explain this requirement will result in rejection of the bid.
10. **BID ENVELOPE:** Envelope shall be sealed and marked with the bidder's name, Bid number, time, date and place of Bid Opening.
11. **BID GUARANTEE REQUIREMENT:** Bidder is required to submit a Bid Guarantee Bond or standby irrevocable Letter of Credit or Certified Check or Cashier's Check in the same bid envelope to be held by the Government pending award. The Bid Guarantee Bond, Letter of Credit, Certified Check or Cashier's Check must be issued by any local surety or banking institution licensed to do business on Guam and made payable to the Treasurer of Guam in the amount of fifteen percent (15%) of his highest total bid offer. The Bid Bond must be submitted on Government Standard Form BB-1 (copy enclosed). Personal Checks will not be accepted as Bid Guarantee. If a successful Bidder (contractor) withdraws from the bid or fails to enter into contract within the prescribed time, such Bid guarantee will be forfeited to the Government of Guam. Bids will be disqualified if not accompanied by Bid Bond, Letter of Credit, Certified Check or Cashier's check. Bidder must include in his/her bid, valid copies of a Power of Attorney from the Surety and a Certificate of Authority from the Government of Guam to show proof that the surety company named on the bond instrument is authorized by the Government of Guam and qualified to do business on Guam. For detailed information on bonding matters, contact the Department of Revenue and Taxation. Failure to submit a valid Power of Attorney and Certificate of Authority on the surety is cause for rejection of bid. **Pursuant to 5 GCA § 5212, all competitive sealed bidding for the procurement of supplies or services exceeding \$25,000.00 a 15% Bid Security of the total bid price must accompany the bid package. The bid bond, Letter of Credit, Certified Check or Cashier's Check will serve as Bid Security for this procurement.**
12. **PERFORMANCE GUARANTEE:** Bidders who are awarded a contract under this solicitation, guarantee that goods will be delivered or required services performed within the time specified. Failure to perform the contract in a satisfactory manner may be cause for suspension or debarment from doing business with the Government of Guam. In addition, the Government will hold the Vendor liable and will enforce the requirements as set forth in Section 40 of these General Terms and Conditions.
13. **SURETY BONDS:** Bid and Bid Bonds coverage must be signed or countersigned in Guam by a foreign or alien surety's resident general agent. The surety must be an Insurance Company, authorized by the government of Guam and qualified to do business in Guam. Bids will be disqualified if the Surety Company does not have a valid Certificate of Authority from the Government of Guam to conduct business in Guam.
14. **COMPETENCY OF BIDDERS:** Bids will be considered only from the such bidders who, in the opinion of the Government, can show evidence of their ability, experience, equipment, and facilities to render satisfactory service.
15. **DETERMINATION OF RESPONSIBILITY OF BIDDERS:** The Chief Procurement Officer reserves the right for securing from bidders information to determine whether or not they are responsible and to inspect plant site, place of business; and supplies and services as necessary to determine their responsibility in accordance with Section 15 of these General Terms and Conditions. (2 GAR, Div. 4 § 3116)

[X] 16. STANDARD FOR DETERMINATION OF LOWEST RESPONSIBLE BIDDER:

In determining the lowest responsible offer, the Chief Procurement Officer shall be guided by the following:

- a) Price of items offered.
- b) The ability, capacity, and skill of the Bidder to perform.
- c) Whether the Bidder can perform promptly or within the specified time.
- d) The quality of performance of the Bidder with regards to awards previously made to him.
- e) The previous and existing compliance by the Bidder with laws and regulations relative to procurement.
- f) The sufficiency of the financial resources and ability of the Bidder to perform.
- g) The ability of the bidder to provide future maintenance and services for the subject of the award.
- h) The compliance with all of the conditions to the Solicitation.

[X] 17. TIE BIDS: If the bids are for the same unit price or total amount in the whole or in part, the Chief Procurement Officer will determine award based on 2 GAR, Div. 4, § 3109(o) (2) or to reject all such bids.

[X] 18. BRAND NAMES: Any reference in the Solicitation to manufacturer's Brand Names and number is due to lack of a satisfactory specification of commodity description. Such preference is intended to be descriptive, but not restrictive and for the sole purpose of indicating prospective bidders a description of the article or services that will be satisfactory. Bids on comparable items will be considered provided the bidder clearly states in his bid the exact articles he is offering and how it differs from the original specification.

[X] 19. DESCRIPTIVE LITERATURE: Descriptive literature(s) as specified in this solicitation must be furnished as a part of the bid and must be received at the date and time set for opening Bids. The literature furnished must clearly identify the item(s) in the Bid. The descriptive literature is required to establish, for the purpose of evaluation and award, details of the product(s) the bidder proposes to furnish including design, materials, components, performance characteristics, methods of manufacture, construction, assembly or other characteristics which are considered appropriate. Rejection of the Bid will be required if the descriptive literature(s) do not show that the product(s) offered conform(s) to the specifications and other requirements of this solicitation. Failure to furnish the descriptive literature(s) by the time specified in the Solicitation will require rejection of the bid.

20. **SAMPLES:** Sample(s) of item(s) as specified in this solicitation must be furnished as a part of the bid and must be received at the date and time set for opening Bids. The sample(s) should represent exactly what the bidder proposes to furnish and will be used to determine if the item(s) offered complies with the specifications. Rejection of the Bid will be required if the sample(s) do not show that the product(s) offered conform(s) to the specifications and other requirements of this solicitation. Failure to furnish the sample(s) by the time specified in the Solicitation will require rejection of the Bid.

21. **LABORATORY TEST:** Successful bidder is required to accompany delivery of his goods with a Laboratory Test Report indicating that the product he is furnishing the Government meets with the specifications. This report is on the bidder's account and must be from a certified Testing Association.

[X] 22. AWARD, CANCELLATION, & REJECTION: Award shall be made to the lowest responsible and responsive bidder, whose bid is determined to be the most advantageous to the Government, taking into consideration the evaluation factors set forth in this solicitation. No other factors or criteria shall be used in the evaluation. The right is reserved as the interest of the Government may require to waive any minor irregularity in bid received. The Chief Procurement Officer shall have the authority to award, cancel, or reject bids, in whole or in part for any one or more items if he determines it is in the public interest. Award issued to the lowest responsible bidder within the specified time for acceptance as indicated in the solicitation, results in a bidding contract without further action by either party. In case of a error in the extension of prices, unit price will govern. It is the policy of the Government to award contracts to qualified local bidders. The Government reserves the right to increase or decrease the quantity of the items for award and make additional awards for the same type items and the vendor agrees to such modifications and additional awards based on the bid prices for a period of thirty (30) days after original award. No award shall be made under this solicitation which shall require advance payment or irrevocable letter of credit from the government (2 GAR, Div.4 §1103).

23. **MARKING:** Each outside container shall be marked with the Purchase Order number, item number, brief item description and quantity. Letter marking shall not be less than 3/4" in height.

[X] 24. SCHEDULE FOR DELIVERY: Successful bidder shall notify the General Services Agency, Telephone Nos. 475-1707 or 475-713, at least twenty-four (24) hours before delivery of any item under this solicitation.

[X] 25. BILL OF SALE: Successful supplier shall render Bills of Sale for each item delivered under this contract. Failure to comply with this requirement will result in rejection of delivery. The Bill of Sale must accompany the items delivered but will not be considered as an invoice for payment. Supplier shall bill the Government in accordance with billing instructions as indicated on the Purchase Order.

[X] 26. MANUFACTURER'S CERTIFICATE: Successful bidder is required, upon delivery of any item under this contract, to furnish a certificate from the manufacturer indication that the goods meet the specifications. Failure to comply with this request will result in rejection of delivery payment. Supplier shall bill the Government in accordance with billing instructions as indicated on the Purchase Order.

[X] 27. INSPECTION: All supplies, materials, equipment, or services delivered under this contract shall be subject to the inspection and/or test conducted by the Government at destination. If in any case the supplies, materials, equipment, or services are found to be defective in material, workmanship, performance, or otherwise do not conform with the specifications, the Government shall have the right to reject the items or require that they be corrected. The number of days required for correction will be determined by the Government.

[X] 28. MOTOR VEHICLE SAFETY REQUIREMENTS: The Government will only consider Bids on motor vehicles which comply with the requirements of the National Traffic and Motor Vehicle safety Act of 1966 (Public Law 89-563) and Clean Air Act as amended (Public Law 88-206), that are applicable to Guam. Bidders shall state if the equipment offered comply with these aforementioned Federal Laws.

[X] 29. **SAFETY INSPECTION:** All motor vehicles delivered under this contract must pass the Government of Guam Vehicle Inspection before delivery at destination.

[X] 30. **GUARANTEE:**

a) Guarantee of Vehicle Type of Equipment:

The successful bidder shall guarantee vehicular type of equipment offered against defective parts, workmanship, and performance, for a period of not less than one (1) year after date of receipt of equipment. Bidder shall also provide service to the equipment for at least one (1) year. Service to be provided shall include, but will not be limited to tune ups (change of spark plugs, contact points and condensers) and lubrication (change of engine and transmission oil). All parts and labor shall be at the expense of the bidder. All parts found defective and not caused by misuse, negligence or accident within the guarantee period shall be repaired, replaced, or adjusted within six (6) working days after notice from the Government and without cost to the Government. Vehicular type of equipment as used in this context shall include equipment used for transportation as differentiated from tractors, backhoes, etc.

b) Guarantee of Other Type of Equipment:

The successful bidder shall guarantee all other types of equipment offered, except those mentioned in 30a, above, against defective parts, workmanship, and performance for a period of not less than three (3) months after date of receipt of equipment. Bidder shall also provide service to the equipment for at least three (3) months. All parts found defective within that period shall be repaired or replaced by the Contractor without cost to the Government. Repairs, adjustments or replacements of defective parts shall be completed by the contractor within six (6) working days after notice from the Government.

(c) Compliance with this Section is a condition of this Bid.

[X] 31. **REPRESENTATION REGARDING ETHICS IN PUBLIC PROCUREMENT:** The bidder or contractor represents that it has not knowingly influenced and promises that it will not knowingly influence a Government employee to breach any of the ethical standards and represents that it has not violated, is not violating, and promises that it will not violate the prohibition against gratuities and kickbacks set forth on Chapter 11 (Ethics in Public Contracting) of the Guam Procurement Act and in Chapter 11 of the Guam Procurement Regulations.

[X] 32. **REPRESENTATION REGARDING CONTINGENT FEES:** The contractor represents that it has not retained a person to solicit or secure a Government contract upon an agreement or understanding for a commission, percentage, brokerage, or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies for the purpose of securing business (GPR Section 11-207).

[X] 33. **EQUAL EMPLOYMENT OPPORTUNITY:** Contractors shall not discriminate against any employee or applicant of employment because of race, color, religion, sex, or national origin. The contractor will take affirmative action to ensure that employees are treated equally during employment without regards to their race, color, religion, sex, or national origin.

[X] 34. **COMPLIANCE WITH LAWS:** Bidders awarded a contract under this Solicitation shall comply with the applicable standard, provisions, and stipulations of all pertinent Federal and/or local laws, rules, and regulations relative to the performance of this contract and the furnishing of goods.

[] 35. **CHANGE ORDER:** Any order issued relative to awards made under this solicitation will be subject to and in accordance with the provisions of Section 6-101-03.1 of the Guam Procurement Regulations.

[X] 36. **STOP WORK ORDER:** Any stop work order issued relative to awards made under this solicitation will be subject to and in accordance with the provisions of Section 6-101-04.1 of the Guam Procurement Regulations.

[X] 37. **TERMINATION FOR CONVENIENCE:** Any termination order for the convenience of the Government issued relative to awards made under this solicitation will be subject to and in accordance with the provisions of Section 6-101.10 of the Government Procurement Regulations.

[X] 38. **TIME FOR COMPLETION:** It is hereby understood and mutually agreed by and between the contractor and the Government that the time for delivery to final destination or the timely performance of certain services is an essential condition of this contract. If the contractor refuses or fails to perform any of the provisions of this contract within the time specified in the Purchase Order (from the date Purchase Order is acknowledged by vendor), then the contractor is in default. Defaults will be treated subject to and in accordance with the provisions of 2 GAR, Div. 4 § 6101(8)

[X] 39. **JUSTIFICATION OF DELAY:** Bidders who are awarded contracts under this Solicitation, guarantee that the goods will be delivered to their destination or required services rendered within the time specified. If the bidder is not able to meet the specified delivery date, he is required to notify the Chief Procurement Officer of such delay. Notification shall be in writing and shall be received by the Chief Procurement Officer at least twenty-four (24) hours before the specified delivery date. Notification of delay shall include an explanation of the causes and reasons for the delay including statement(s) from supplier or shipping company causing the delay. The Government reserves the right to reject delay justification if, in the opinion of the Chief Procurement Officer, such justification is not adequate.

[X] 40. **LIQUIDATED DAMAGES:** When the contractor is given notice of delay or nonperformance as specified in Paragraph 1 (Default) of the Termination for Default Clause of this contract and fails to cure in the time specified, the contractor shall be liable for damages for delay in the amount of one-fourth of one percent (1%) of outstanding order per calendar day from date set for cure until either the territory reasonable obtains similar supplies or services if the contractor is terminated for default, or until the contractor provides the supplies or services if the contractor is not terminated for default. To the extent that the contractor's delay or nonperformance is excused under Paragraph 40 (Excuse for Nonperformance or Delayed Performance) of the Termination for Default Clause of this contract, liquidated damages shall not be due the territory. The contractor remains liable for damages caused other than by delay. 2 GAR, Div. 4 §6101(9) (a).

[X] 41. **PHYSICAL LIABILITY:** If it becomes necessary for the Vendor, either as principal, agent or employee, to enter upon the premises or property of the Government of Guam in order to construct, erect, inspect, make delivery or remove property hereunder, the Vendor hereby covenants and agrees to take, use, provide and make all proper, necessary and sufficient precautions, safeguards and protections against the occurrence of any accidents, injuries or damages to any person or property during the progress of the work herein covered, and to be responsible for, and to indemnify and save harmless the Government of Guam from the payment of all sums of money by reason of all or any such accidents, injuries or damages that may occur upon or about such work, and fines, penalties and loss incurred for or by reasons of the violations of any territorial ordinance, regulations, or the laws of Guam or the United States, while the work is in progress. Contractor will carry insurance to indemnify the Government of Guam against any claim for loss, damage or injury to property or persons arising out of the performance of the Contractor or his employees and agents of the services covered by the contract and the use, misuse or failure of any equipment used by the contractor or his employees or agents, and shall provide certificates of such insurance to the Government of Guam when required.

[X] 42. **CONTACT FOR CONTRACT ADMINISTRATION:** If your firm receives a contract as a result of this Solicitation, please designate a person whom we may contact for prompt administration.

[] 43. If cancelled, contractor will be reimbursed unamortized reasonably incurred non-recurring costs.
R 3121(e)(1)(G)

[X] 44. **CONTACT FOR CONTRACT ADMINISTRATION:** If your firm receives a contract as a result of this Solicitation, please designate a person whom we may contact for prompt administration.

Name: _____ Title: _____

Address: _____ Telephone: _____

GOVERNMENT OF GUAM

SEALED BID SOLICITATION INSTRUCTIONS

1. **BID FORMS:** Each bidder shall be provided with two (2) sets of Solicitation forms. Additional copies may be provided upon request. Bidders requesting additional copies of said forms will be charged per page in accordance with 5 GCA § 10203 of the Government Code of Guam. All payments for this purpose shall be by cash, certified check or money order and shall be made payable to the General Services Agency (EO 86-24).
2. **PREPARATIONS OF BIDS:**
 - a) Bidders are required to examine the drawings, specifications, schedule, and all instructions. Failure to do so will be at bidder's risk.
 - b) Each bidder shall furnish the information required by the Solicitation. The bidder shall sign the solicitation and print or type his name on the Schedule. Erasures or other changes must be initiated by the person signing the bid. Bids signed by an agent are to be accompanied by evidence of this authority unless such evidence has been previously furnished to the issuing office.
 - c) Unit price for each unit offered shall be shown and such price shall include packing unless otherwise specified. A total shall be entered in the amount column of the Schedule for each item offered. In case of discrepancies between a unit price and extended price, the unit price will be presumed to be correct.
 - d) Bids for supplies or services other than those specified will not be considered.
Time, if stated as a number of days, means calendar days and will include Saturdays, Sundays, and holidays beginning the day after the issuance of a Notice to Proceed. Time stated ending on a Saturday, Sunday or Government of Guam legal holiday will end at the close of the next business day.
3. **EXPLANATION TO BIDDERS:** Any explanation desired by a bidder regarding the meaning or interpretation of the Solicitation, drawings, specifications, etc., must be submitted in writing and with sufficient time allowed for a written reply to reach all bidders before the submission of their bids. Oral explanations or instructions given before the award of the contract will not be binding. Any information given to a prospective bidder concerning a Solicitation will be furnished to all prospective bidders in writing as an amendment to the Solicitation if such information would be prejudicial to uninformed bidders.
4. **ACKNOWLEDGEMENT OF AMENDMENTS TO SOLICITATIONS:** Receipt of an amendment to a Solicitation by a bidder must be acknowledged by signing an acknowledgement of receipt of the amendment. Such acknowledgement must be received prior to the hour and date specified for receipt of bids.
5. **SUBMISSION OF BIDS:**
 - a) Bids and modifications thereof shall be enclosed in sealed envelopes and addressed to the office specified in the Solicitation. The bidder shall show the hour and date specified in the Solicitation for receipt, the Solicitation number, and the name and address of the bidder on the face of the envelope.
 - b) Telegraphic bids will not be considered unless authorized by the Solicitation. However, bids may be modified or withdrawn by written or telegraphic notice, provided such notice is received prior to the hour and date specified for receipt (see paragraph 6 of these instructions).
 - c) Samples of items, when required, must be submitted within the time specified, unless otherwise specified by the Government, at no expense to the Government. If not destroyed by testing, samples will be returned at bidder's request and expense, unless otherwise specified by the Solicitation.
 - d) Samples or descriptive literature should not be submitted unless it is required on this solicitation. Regardless of any attempt by a bidder to condition the bid, unsolicited samples or descriptive literature will not be examined or tested at the bidder's risk, and will not be deemed to vary any of the provisions of this Solicitation.
6. **FAILURE TO SUBMIT BID:** If no bid is to be submitted, do not return the solicitation unless otherwise specified. A letter or postcard shall be sent to the issuing office advising whether future Solicitations for the type of supplies or services covered by this Solicitation are desired.
7. **LATE BID, LATE WITHDRAWALS, AND LATE MODIFICATIONS:**
 - a) **Definition:** Any bid received after the time and date set for receipt of bids is late. Any withdrawal or modification of a bid received after the time and date set for opening of bids at the place designated for opening is late (Guam Procurement Regulations 2 GAR, Div.4 §3109(k)).
 - b) **Treatment:** No late bid, late modification, or late withdrawal will be considered unless received before contract award, and the bid, modification, or withdrawal would have been timely but for the action or inaction of territorial personnel directly serving the procurement activity.
8. **DISCOUNTS:**
 - a) Notwithstanding the fact that prompt payment discounts may be offered, such offer will not be considered in evaluating bids for award unless otherwise specified in the Solicitation. However, offered discounts will be taken if payment is made within the discount period, even though not considered in the evaluation of bids.
 - b) In connection with any discount offered, time will be computed from date of delivery and acceptance of the supplies to the destination as indicated in the purchase order or contract. Payment is deemed to be made for the purpose of earning the discount on the date of mailing of the Government check.

9. **GOVERNMENT FURNISHED PROPERTY:** No material, labor or facilities will be furnished by the Government unless otherwise provided for in the Solicitation.
10. **SELLER' INVOICES:** Invoices shall be prepared and submitted in quadruplicate (one copy shall be marked "original") unless otherwise specified. Invoices shall be "certified true and correct" and shall contain the following information: Contract and order number (if any), item numbers, description of supplies or services, sizes, quantities, unit prices, and extended total. Bill of lading number and weight of shipment will be shown for shipments made on Government bills of lading.
11. **RECEIPT, OPENING AND RECORDING OF BIDS:** Bids and modifications shall be publicly opened in the presence of one or more witnesses, at the time, date, and place designated in the Invitation for Bids. The name of each bidder, the bid price, and such other information as is deemed appropriate by the Procurement Officer, shall be read aloud and recorded, or otherwise made available. The names and addresses of required witnesses shall be recorded at the opening. The opened bids shall be available for public inspection except to the extent the bidder designates trade secrets or other proprietary data to be confidential as set forth in accordance with Section 12, below. Material so designated shall accompany the bid and shall be readily separable from the bid in order to facilitate public inspection of the non-confidential portion of the bid. Prices, makes and models or catalogue numbers of the items offered, deliveries, and terms of payment shall be publicly available at the time of bid opening regardless of any designation to the contrary (Guam Procurement Regulations 2 GAR, Div.4 §3109(k)).
12. **CONFIDENTIAL DATA:** The Procurement Officer shall examine the bids to determine the validity of any requests for nondisclosure of trade secrets and other proprietary data.

ITEM NO.	DESCRIPTION	QTY	Unit	Unit Price	Total
----------	-------------	-----	------	------------	-------

1.1	Backhoe Loader 4X2 (Latest Model) As per the following specifications:	1	ea.	\$ _____	\$ _____
-----	---	---	-----	----------	----------

GENERALS:

These specifications have been written to describe minimum equipment and performance requirements to be supplied by the equipment manufacturer bidding. Reasonable test may be conducted upon delivery before acceptance.

The successful bidder shall furnish all necessary and desirable information instructions for the proper operation of the equipment.

The government reserves the right to accept and/or reject any and all bids, to waive any defects, irregularities, or specification discrepancies and to award the bid as council deems to be in the best interest of the government.

Each vehicle\equipment shall be **New/Unused Current** model year or later production. **Shall meet all DOT\USEPA and OSHA Requirements for Guam.**

Each vehicle\equipment shall be supplied with all standard equipment and accessories indicated in manufacturer's published literature/brochure unless specifically deleted as stated in this specification. Optional equipment necessary to meet the requirements of this specification shall be installed.

SPECIFICATIONS:

Engine:

Turbo charged diesel, 94 net peak horsepower (ISO 9249)
Must meet current non road emission regulations for Guam.
Must operate with fuel available on Guam.

Fuel\Water separator with see through glass cup.

Enclosed safety fan guard conforms to SAE J1308.

Oil to water engine oil cooler.

Under hood muffler with vertical, curved end exhaust Stack.

Operating Weight: Normal\Base 14,700 lbs.

Electrical System:

12 volt with 90amp alternator and two (2) 800 cca batteries. Positive terminal battery covers. Battery disconnect switch.

Transmission: (Non-Powered front Axle)

4 speeds fully synchronized in all four gears, collar shift transmission with power reverse.

Power shuttle control, electric clutch cut-off, mechanical differential lock with padded pedal.

BIDDING ON / REMARKS:

Axles:

Shall be equipped with highest compatible front and rear axle ratings available as stated in latest manufacturers' brochure.

Hydraulics:

(Load sensing feature)

Main Pump @ 2,200 rpm:

Backhoe: 36 GPM

Loader: 28 GPM

System Relief Pressure Backhoe & Loader : 3,600 psi

System shall be equipped with all standard and optional safety features as stated in the latest manufacturer's brochure.

Brakes:

(Service Brakes)

Hydraulic wet disk. Should be self-adjusting, self-equalizing.

(Parking\Emergency Brakes)

Parking\Emergency brakes should be a separate System, independent of service brakes. This system can be applied and released by a switch located on the control console.

Whenever the engine is shut off, brakes should engage automatically.

All brakes should conform to SAEJ1473.

Steering:

Power steering conforms to SAE J1151

Emergency steering conforms to ISO 5010

Tilt steering wheel with assist knob.

Tires:

(off-road application)

Manufacturer's Standard size

Valve stem guards.

Spare tire and rim, 1 each Front\Rear.

Highest ply rating option shall be provided.

Loader:

(Dimensions\Capacity)

Bucket:

Type: 4 in 1 multi-purpose with bolt-on teeth and cutting edge.

Width: 92 inches

Capacity: 1.25 cubic yards.

Loader

Performance:

Lift capacity: 6,600 lbs.

Breakout force: 9,600 lbs.

Dump Height: 8 feet 7 inches

Features:

Auto return to dig, self-leveling with bucket level indicator.

Loader service brace.

Single Lever control with electric clutch cut off switch.

Backhoe:

(Standard stick with standard quick coupler)

Bucket: Extra Heavy Duty (Rock type) 20-24 inches with teeth.

Performance:

Bucket Cylinder dig force: Standard or Heavy Duty – 14,000 lbs. min.

Crowd Cylinder dig force: 8,000 lbs.

Digging Depth: 14 Feet

Two lever Pilot controls with pattern select.

Remote backhoe transport lock.

Reversible stabilizer pads, cleated sides for use on soft surface.

Operator's Station:

Open type 4 post modular design ROPS\FOPS – left & right access with molded roof .Conforms to Current industry standards. To include all manufacturer's standard features as stated in brochure.

Overall Vehicle:

To include all manufacturer's standard features as stated in brochure. Must meet all DOT and OSHA requirements for equipment in this class. (Any applicable safety and anti- vandalism options as stated in the manufacturer's brochure shall be provided0.

Safety Equipment:

Fire extinguisher and First aid kit shall be installed where they can be easily accessed by the operator along with any other equipment required to comply with DOT and OSHA regulations for Guam .

Additional options:

Color: Manufacturer's standard

Backup alarm:

Strobe beacon light (Flush mounted or magnetic on top of canopy.

Counter weights: 750 minimum lbs.

Built-in tie downs 4 ea. for transport of equipment.

Full tank of fuel.

All hardware for license plate installation.

Note:

- 1) Equipment shall be fully assembled with all attachments \ implements.
- 2) Factory recommended Pre-Operation serviced.
- 3) Operation ready upon delivery to DPW.

Required Manuals: (2 ea. Hard copy & CD ROM Illustrated all in English)

Operator's, Shop Repair & Preventive Maintenance and parts manuals for all components of equipment delivered. To include troubleshooting and diagnostic techniques.

Line setting ticket; fast moving parts list.

Markings:

Permanent\Visible adhesive markings must be installed upon delivery. Marking shall include the following: (on both sides of equipment)

- 1) Government of Guam \ For official use only (to include equipment number)
- 2) Department \Agency Logo. (Contact Dept. representative for design) If logo design is not available, abbreviated Dept. name is acceptable.
- 3) 2 inch lettering required.

Build Sheet: A factory certified document that states the standard and optional features provided on the equipment offered with this proposal shall be included upon delivery. (*A manufacturers brochure dose not satisfy this requirement*).

() Yes, as requested:

() NO, remarks:

Factory Recalls

All factory recalls, modification, news bulletins, illustrations, etc. shall be routed to DPW Transportation Maintenance division throughout the life of the equipment.

() Yes, as requested:

() NO, remarks:

Training Required:

The successful bidder shall provide basic training associated with the equipment delivered. Government of Guam personnel shall be briefed on but not limited to the following:
Safe and efficient operating skills, Pre \ Post operation points of emphasis and Preventive Maintenance.

Yes, as requested:

NO, remarks: _____

Warranty: *(All guarantee, warranty, and service periods begin on date of acceptance).*

The successful bidder shall **guarantee** all parts and components associated with the equipment delivered to be free from defects in material and workmanship for the period of (1) year / unlimited hours starting at the date of acceptance. **Unlimited** to include lights, fuses etc. **Unless defect is determined to be caused by obvious operator negligence.**

Yes, as requested:

NO, remarks: _____

The successful bidder shall also provide the manufacturer's standard warranty or extended warranty. (No less than 24 months\2000 hours whichever comes first). **Certification of warranty and its limitations will be provided at time of delivery.**

Yes, as requested:

NO, remarks: _____

Service\ Preventive maintenance:

Successful bidder will perform all manufacturer's recommended service through the duration of stated manufacturer's standard or extended warranty period (**no less than 24 months\2000 hours whichever comes first at no additional cost to the Government of Guam.**) **Documentation\Service contract shall be included with the delivery of equipment.**

Yes, as requested:

NO, remarks: _____

Warranty and service conditions:

The successful bidder shall be fully responsible to entertain, address, negotiate and schedule any and all warranty related issues whether in house or with outside vendors.

Yes, as requested:

NO, remarks: _____

The successful bidder shall provide service such as preventive maintenance, diagnostic, repair or adjustments of the equipment on government premises or field location. If repair cannot be done on location, bidder shall have equipment transfer to shop where repair can be executed at any time within the warranty\service period.

- Yes, as requested:
- NO, remarks: _____

The successful bidder shall be responsible for all cost associated with warranty and service.
To include but not limited to: Transport, diagnostic, parts, labor, disposal etc.

- Yes, as requested:
- NO, remarks: _____

During warranty period, the Government of Guam will not be liable for diagnostic fees not covered by warranty. **Exception: (Defect determined to be caused by obvious operator negligence).**

- Yes, as requested:
- NO, remarks: _____

The successful bidder shall be fully responsible to entertain, address, negotiate and schedule any and all warranty related issues whether in house or with outside vendors.

- Yes, as requested:
- NO, remarks: _____

The successful bidder shall provide service such as diagnostic, repair or adjustments of the vehicle on government premises or field location. If repair cannot be done on location, bidder shall have vehicle transferred to shop where repair can be executed at any time within the warranty period.

- Yes, as requested:
- NO, remarks: _____

Vendor shall record mileage accumulated prior to delivery. The recorded mileage shall be added to mileage limitations for all warranty and service periods.

- Yes, as requested:
- NO, remarks: _____

All warranty and maintenance services shall be performed by manufacture\factory trained \ authorized technicians.

- Yes, as requested:
- NO, remarks: _____

Due to nature of services provided by the Government of Guam all maintenance and warranty repairs shall be subject to **priority scheduling and performed expeditiously.**

Yes, as requested:
 NO, remarks: _____

If equipment is out of service for (30) thirty consecutive days or longer awaiting parts, service or repairs, the total amount of time will added to existing warranty period.

Yes, as requested:
 NO, remarks: _____

NOTE:

Partial deliveries will not be accepted. All requirements specified must be provided at time of delivery.

Bidder shall identify on their bids any deviations from requirement on remarks column and state item being offered to evaluation processing. Failure to comply may result in rejection of bid.

Manufacture's brochure shall be furnished with this bid proposal.

Certificate of Origin will be provided at time of delivery.

Vehicle\Equipment must be inspected and pass inspection by authorized safety inspection station.

Equipment must be delivered to **the Department of Public Works** for inspection.

BIDDING ON:

MANUFACTURED BY: _____

YEAR: _____

MAKE: _____

MODEL: _____

DATE OF DELIVERY: _____

APPROVED BY:



Rau N.I. Cepeda, Superintendent, T.M.D.
Department of Public Works

Date: 2/26/11

ITEM NO.	DESCRIPTION	QTY	Unit	Unit Price	Total
----------	-------------	-----	------	------------	-------

2.1	Street Sweeper with 8 Cubic Yard Hopper (Latest Model)	1	ea.	\$ _____	\$ _____
-----	--	---	-----	----------	----------

As per the following specifications:

GENERALS:

These specifications have been written to describe **minimum** equipment and performance requirements to be supplied by the equipment manufacturer bidding. Reasonable test may be conducted upon delivery before acceptance.

The successful bidder shall furnish all necessary and desirable information instructions for the proper operation of the equipment.

The Government of Guam reserves the right to accept and/or reject any and all bids, to waive any defects, irregularities, or specification discrepancies and to award the bid as council deems to be in the best interest of the government.

Each Truck\sweeper shall be new / unused, current model year or later production.

Each Truck\sweeper shall be supplied with all standard equipment and accessories indicated in manufacturer’s published literature/brochure unless specifically deleted as stated in this specification. Optional equipment necessary to meet the requirements of this specification shall be installed.

Standard: Each truck\sweeper shall meet the applicable requirements for U.S. Department of Transportation (DOT), U.S. EPA and Federal Motor Vehicle Safety Standards (FMVSS) for Guam.

Certification: Each Truck\sweeper shall display a **durable, legible** certification data plate mounted in the driver’s compartment of the vehicle. On this data plate the manufacture shall certify that the truck is in compliance with the applicable DOT and FMVSS, and is manufactured from all new components. All chassis\ body information shall appear on this certification data plate. *The data plate shall specify the maximum design capacity of the body and chassis.*

Brand Names: Any reference in these specifications to a manufacturer’s Brand name and number is due to lack of a satisfactory specification of commodity description. Such preference is intended to be descriptive, but not restrictive and for the sole purpose of indicating to prospective bidders a description of the article or services that will be satisfactory. Bids on comparable items will be considered provided the bidder clearly states in his bid the articles he is offering and how it differs from the original specification.

Intent:

It is the intent of these specifications to describe a regenerative air street sweeper with hydraulic drives, **8.0 cubic yard** hopper, **90 inches** wide pickup head. The head must be capable of sweeping in reverse with the head down without causing damage to the pickup head or its components. Blower shall be belt driven via auxiliary engine. The unit must be equipped with vertical digger-type gutter brooms, pressurized dust control spray system and an independent engine to power the sweeping functions.

The chassis for this sweeper is to be sufficiently rated to transport a full load of sweeping debris at posted highway speeds. For safety and comfort of the operator and for quick, local service along with local availability of parts, the chassis will NOT be a purpose built chassis built by the sweeper manufacturer.

The chassis shall be equipped with the spring suspension on both axles, **dual steering, dual operator controls**, and an automatic transmission.

All tires shall be the same size and have dual tires on each side of the rear axle (six-wheel configuration). The unit shall be new of current manufacture. No prototype, demo, used, vacuum type, or mechanical type sweepers will be accepted.

All parts not specifically mentioned which are necessary to provide a complete street sweeper shall be included in the bid and shall conform in strength, quality of materials, and workmanship to what is normally provided to the trade in general.

SPECIFICATIONS:

Chassis

BIDDING ON / REMARKS:

Air Cleaner

The engine intake air cleaner shall be properly installed to meet engine specifications with a restriction indicator.

Axles

Axle assemblies shall have the following minimum capacities:

Front: **12,000 lbs.**

With low maintenance hub package, adjustment free bearings, Taper leaf 12,000 lbs. with shock absorbers and maintenance free bushings.

Rear: Single rear axle **20,000 lbs.** (4.56 minimum axle ratio)

Tandem rear axles with extended service S-cam, dual Heavy-duty brake drums with extended life oil seals.

Brakes (Meets all Federal Motor Vehicle Safety Standard for air brakes)

Straight air braking system including service and parking brakes. Warning signals located within the interior of driver compartment and clearly audible and visible to the driver, that will give a continuous warning when air pressure available in the system for braking is **60 psi or less.**

Antilock brake system (ABS) shall control all axles.

(15 CFM) air compressor minimum with air dryer and reservoir capacity equal to or greater than two (2) times total volume of all brake activators at full travel. Reservoir tanks shall have drain valve easily accessible to driver.

Brake system shall be designed to permit visual inspection of brake lining wear without the removal of any chassis components.

S-cam-type with dust covers, camshaft shall rotate in the same direction as the wheel. Automatic slack adjusters shall be the same design on all wheels.

Emergency brake system, spring loaded type with brake chambers that allow for caging. Separate valve mounted on instrument panel to activate **parking brake.**

Bumpers

Front:

Heavy-duty design, Standard size.

Tow eyes or hooks shall be furnished and attached so as not to project beyond the front bumper. The bumper shall be designed or reinforced so that it will not deform, when truck is lifted by a chain that is passed under the bumper (*or through the bumper if holes are provided for this purpose*) and attached to both tow eyes.

Cab (*Curved Glass Conventional non – sleeper or cab over type*)
Cab doors and ignition shall be keyed alike.

Aluminum and Fiberglass fabrication, with all aluminum Bulkhead and doors. Stainless steel, piano style door hinges.

Defroster\ Defogger and Air-conditioning system.

Dual steering, dual operator controls,

Operator seats air adjustment high back.

Standard steering wheels with adjustable telescoping tilt steering columns.

LH & RH Interior\Exterior Grab handles and cab entry steps.

Exterior marker lights.

LH & RH interior sun visors.

RH & LH Fixed Side view mirrors with RH convex Stainless mirror brackets.

Rear cab stationary window.

Am\Fm Radio with speakers.

LED amber strobe light with limb guard on top of cab.

Multi- function high display\ Instrument Package Includes: Speedometer, tachometer, fuel gauge, engine coolant, temperature gauge, Engine oil pressure, voltmeter, primary, secondary air reservoir and air application gauges. Hour Meter and warning light for parking brake.

Lighting: Dual, extended life, halogen head lamps, turn signals mounted On fenders, combination stop\tail\turn and reverse lights RH & LH.

Vinyl interior seating.

2 inch, rubber wheel well fender extensions.

Cooling System

The radiator and charge air cooler shall be of a **Heavy-Duty design**, tandem mounted. Cooling fans driven by a single poly-vee belt and a fully On\Off electro- magnetic clutch fan.

Color

The chassis, (wheel rims and bumpers if not aluminum or polished finish) shall be painted **black**.

The cab and sweeper body shall be painted **white**.

Drive Shaft

Torque capacity of drive shaft assembly shall at least equal maximum engine torque as developed through lowest transmission gear reduction.

Drive shaft shall be equipped with protective metal guards to reduce the possibility of it whipping through the floor or dropping to ground if broken.

Electrical system (12 volt)

Batteries shall have a minimum total of **1,800 cold cranking amps**. Shall have master on/off switch. Battery box shall be located on left side of cab.

Alternator

Heavy-Duty type alternator capable of producing a minimum output rating of **160 amperes**. The alternator shall be capable of producing a minimum of **50 percent** of its maximum output at the engine manufacturer's recommended idle speed.

Wiring

All wiring shall conform to current applicable recommended practices of the Society of Automotive Engineers.

All wiring shall be standard colors and number coding and each truck shall be delivered with a wiring diagram that coincides with the wiring of the chassis. *All wires passing through metal openings shall be protected by a grommet or loom.*

Circuits

An appropriate identifying diagram (color and number coded) for electrical circuits shall be provided.

Engine

Turbo charged diesel **280HP@2200RPM** minimum. Electronically controlled. Air to Air after cool (*Must be able to operate with fuel available on Guam*). Engine brake/retarder system way switch.

If exhaust after treatment additive (DEF Fluid) is required, vendor shall provide a **25 gallons** supply for each sweeper truck at time of delivery.

Exhaust System

The muffler and the tail pipe shall be constructed of aluminized, or equivalent corrosion resistant material.

The muffler \ after treatment device (*if applicable*) and exhaust pipe shall be properly insulated from the fuel tank, lines and connections by a protective shield at any point where it is **4 inches** or less from fuel tank, lines or connections.

Vertical tailpipe system extending past the highest point of cab and sweeper body.

Fenders

The total spread of outer edges of fenders shall exceed the total spread of the front and rear tires when the front wheels are in a straight-ahead position.

Frame

The frame shall be of such design and strength characteristics as to correspond at least to standard practice for trucks of the same general load characteristics, which are used for highway use.

A secondary manufacture that modifies the original chassis shall guarantee the performance of workmanship and material resulting from such modification.

Any frame modification shall not be for the purpose of extending the wheelbase.

Holes in top or bottom flanges or side units of the frame, and welding to the frame, shall not be permitted except as provided or accepted by the chassis manufacturer.

Fuel Tank (*Truck shall be delivered with full tank of fuel*).

(56-gallon minimum) The tank shall be filled and vented to the outside of the body, the location of which shall be so that accidental fuel spillage will not drip or drain on any part of the exhaust system.

Fuel filters shall be installed as per manufacturer's specifications.

Fuel filtration shall include **water detection and separation**.

At least one fuel filter shall have a replaceable spin-on or cartridge-type element.

Fuel tank and the filler tube shall be located on the right side of the truck. With anti – siphon device

Horns (dual electric with shield and single air)

Steering: Dual (Power)

The steering gear's shall be approved by the chassis manufacturer and designed to assure safe and accurate performance when the vehicle is operated with maximum load and at maximum speed.

If external adjustments are required, the steering mechanism must be accessible to accomplish the same.

No changes shall be made in the steering apparatus, which are not approved by the chassis manufacturer.

The steering system shall be designed to provide a means for lubrication of all wear-points, if wear-points are not permanently lubricated.

Tires and Rims *Mud flaps at front and rear.*

Radial tubeless tires and rims of proper size and tires with a load rating commensurate with chassis manufacturer's GVWR shall be provided.

All tires shall be of the load range of said tires and shall meet or exceed the gross axle weight rating as required by FMVSS 120.

Trucks shall be equipped with a spare tire and rim assembly, it shall be of the same size as those mounted on the vehicle. (1 ea. per size)

Transmission Automatic with auxiliary cooler system, PTO provision; PTO mounted on left hand side of transmission. Dash mounted PTO switch with indicator light.

STREET SWEEPER SPECIFICATION

SWEEPER ENGINE:

A. An auxiliary diesel engine shall be provided to power the sweeper. The engine shall be a turbo charged four-cylinder with horsepower rating of not less than 115 hp@ 2500 rpm.

B. Engine shall be equipped with a full-flow spin-on oil filter, fuel filter and fuel water separator with a see thru inspection cup or panel.

C. Unit shall have a heavy-duty two stage dry type air cleaner and an air filter restriction indicator located at the air filter housing.

D. In order to have the cleanest air possible, the air intake shall be at least 8 feet above the ground level.

E. Engine to be equipped with a 3-point safety engine shutdown device that shut down the engine for low oil pressure, high coolant temperature, and low coolant level.

F. Injector pump shall have centrifugal type variable speed governor for speed control of auxiliary engine RPM.

G. Twelve (12) volt electrical system, electrical starter and 65 amp alternator shall be provided. Sweeper shall have re-settable circuit breakers.

H. Sweeper auxiliary engine shall share a 56-gallon(Minimum) fuel tank and batteries with chassis engine.

I. Auxiliary engine, muffler, fuel tank, battery box, and hydraulic tank and cooler shall be protected by a shroud integral to the sweeper hopper.

HYDRUALIC SYSTEM:

- A. Hydraulic power shall be used to operate all broom rotation and lifting functions. Systems incorporating pneumatic-type controls may be accepted. _____
- B. Sweeper shall utilize a multi-stage gear driven hydraulic pump with a 23 gallon vented hydraulic reservoir, a spin-on 10 micron return filter, and high pressure hoses and fittings. Hydraulic reservoir to have tank mounted level and temperature indicator. Hydraulic Reservoir shall be mounted above the hydraulic pump. _____
- C. Hydraulic system to have an oil to air radiator type hydraulic oil cooler. _____
- D. Hydraulic tank shall have shut-off valve for hydraulic oil filter change. _____
- E. Hydraulic system shall have quick disconnect relief pressure check ports mounted in the Hydraulic manifold(s). _____
- F. For safety of the operator, no sweeper hydraulic lines to run into or through the cab _____
- G. Hydraulic valves shall have built-in diagnostic system lighting for troubleshooting hydraulic flow and electrical power. _____
- H. A 12-volt DC hydraulic backup system shall be provided which may be used to operate all hydraulic functions without starting the auxiliary engine. _____

DUST SEPARATOR:

- A. A centrifugal dust separator shall be supplied inside hopper to remove airborne dust from the air stream. The dust separator shall be designed so that will not plug with normally encountered debris. _____
- B. The dust separator shall have a clean-out door that opens automatically and discharges debris from the separator when the hopper is raised. _____
- C. Cable or other manual/mechanical means required for discharging debris in the separator shall not be allowed. _____

HOPPER:

- A. The volumetric capacity of the hopper shall not be less than 8 cubic yards. _____
- B. Hopper screen to be a design such that airflow will not be interrupted even in difficult sweeping conditions. _____
- C. Hopper screens must have 2 hinges on each screen, allowing the screen to drop from one side, providing extra safety for the operator during cleanup. _____
- D. Dumping shall be accomplished hydraulically by tilting the hopper a minimum of 50 degrees. Contents to be dumped to the rear of the vehicle. _____

E. Hopper to be constructed with steel floor. The roof, door, and sides to be made of minimum 10 gauge steel.

F. Dump door to be hydraulically opened, closed, and locked. Operation of the hopper dump door to be accomplished from inside or outside the cab.

G. Large inspection doors shall be provided on left and right sides of hopper. These doors shall provide an easy way to manually load debris and provide a convenient access for hopper inspection and cleaning.

H. Hopper shall be airtight through the use of rubber seals on all doors and openings.

I. Weatherproof dump switches to be located outside directly behind cab for visibility and safety during the dumping process. There shall be one switch for each function; raising and lowering the hopper to the dump position, opening and closing the dump door, and turning the 2 rear bumped mounted flood lights on for night dumping.

J. Hopper interior shall be coated with an anti-wear/anti-seize coating.

K. Sweepers that use a no tilt method of dumping hopper or use an inside of hopper mechanical means of pushing debris out of the hopper (raker bar) will not be accepted.

L. Hopper to have a shroud enclosing the auxiliary engine, muffler, blower housing, fuel tank, battery box, and hydraulic tank and cooler. Shroud shall be designed to help protect components from the elements and vandals. Shroud shall also be designed to reduce auxiliary engine noise by having a sound dampening materials attached to the inside of shroud in the engine compartment area. Shroud must be part of the hopper and lift when the hopper is raised and be designed to give the sweeper a neat well thought out streamlined appearance. In the interest of sweeper protection, public safety, and sweeper noise reduction, sweepers that do not meet all of these requirements will not be accepted.

M. If a full shroud cannot be provided, then an auxiliary engine cover must be provided.

N. The hopper roof shall be higher at the center to allow water to run off and to reduce corrosion. Hoppers with flat roofs will not be accepted.

O. The suction tube entering hopper shall be bolt on for easy replacement and shall be constructed of abrasion resistant steel.

P. A hopper door open/close switch to be mounted on console to allow rear door to be operated from inside cab.

BLOWER:

A. Heavy-duty steel blower shall be used to create air pressure and suction (regenerative air) for removing debris from road surface. Sweepers that clean road surfaces by suction only (pure Vacuum) will not be accepted.

B. Blower to be powered by the sweeper auxiliary engine via a heavy-duty 5-groove belt. A belt safety guard shall be supplied.

C. The blower shall be turbine type and shall be constructed of Hardox steel. Fan to be fully balanced on both sides for long fan and bearing life.

D. Blower shall have a minimum rated performance of 17,000 CFM. Documentation must be included with the bid packet that states that the Air Movement and Control Association has tested the fan and certifies the fan is equal to or greater than the performance data listed above. Since the rated fan performance is directly related to the sweeper, no sweeper will be considered without the fan being certified by the Air Movement and Control Association.

E. Must be Whisper Wheel or equal sound proofing equipped. Sound damping material is required in the area of the auxiliary engine and blower to aid in soundproofing.

F. The blower housing shall be constructed with abrasion resistant steel with the inside of the housing covered by a replaceable rubber wear liner.

G. Blower housing shall have a vacuum enhance for discharging a portion of the blast air for sweeping light materials such as leaves and paper. The vacuum enhance shall be electrically powered by a DC actuator and controlled from a switch located on the control panel inside the cab. The vacuum enhancer to be capable of 0-80% air diversion for maximum control.

H. In-cab vacuum gauge must be provided.

I. Blower housing shall not be an integral part of the hopper and shall be mounted parallel with the front of the hopper.

J. Blower shall be mounted on sealed self-aligning anti-friction bearings, blower shaft to have greaseable bearing requiring ¼ ounce of grease every 250 hours to ensure maximum life expectancy. Non-regreaseable bearings are unacceptable due to sweeper environment.

PICKUP HEAD:

A. Pickup head to be spring balanced all steel fabricated with separate upper and lower chambers where pressurized air is blasted from the upper chamber through an elongated blast orifice to the lower chamber.

B. Rubber blast orifice to be angled a minimum of 3 degrees towards the suction side of the pickup head. This will ensure a smooth transfer of debris by increasing pressure as the debris moves towards the suction tube.

C. The pickup head shall not be less than 90 inches wide and giving a total head area of 2,700 square inches.

D. Pressure and suction hoses shall be 12 ¾ inches diameter minimum and be constructed from 3/8 inch thick heavy duty molded wire reinforced molded rubber.

E. Sweeping paths shall be:

Pickup head only = 90 inches

Pickup head and one gutter broom = 117 inches

Pickup head and two gutter brooms = 144 inches

F. Sweeper shall have Sweeps-in-Reverse which allows it to sweep in both forward and reverse with the head down without causing damage to the head or other components. NO EXCEPTION. Sweeping heads that are not designed to sweep-in-reverse and that require add-on devices such as chains attached to the head and chassis axle to meet this requirement, will not be considered. Sweeper must be able to sweep in reverse while making turns. For safety and liability purposes, no sweeper will be accepted that automatically raises the sweeping head when the sweeper is placed in reverse.

G. Pickup head shall be equipped with doublewide full length carbide drag shoes for maximum life. Front and rear of drag shoe to be snowshoe design to follow road contour without damage. Shoes shall be interchangeable from either the left or right side.

H. Drag shoes shall be warranted against wear-out for a minimum of two years/2000 hours, prorated.

I. Sweeping head shall be raised and lowered hydraulically by a single switch located in the cab.

J. Head to have quick disconnect at the head suction transaction.

K. Suction transaction shall include two high volume water nozzles to lubricate the suction tube and to reduce clogging during sweeping operations.

GUTTER BROOMS:

A. Dual gutter brooms shall be 42” minimum diameter, flattened wire filled vertical digger type for removing debris from gutter area.

B. Gutter brooms shall be hydraulic motor driven and shall be positioned laterally and vertically by a hydraulic cylinder and springs.

C. Each gutter broom shall have an adjustment to allow downward compensation for bristle contact, pattern and wear and shall be full floating to follow street contour.

D. Each gutter broom shall have lateral flexibility to swing inward 15” under the chassis when encountering the impact of an immovable object thus avoiding damage to the broom assembly.

E. Each gutter broom shall be held in the up and transit position by use of a hydraulic cylinder and an electric lock valve attachment.

F. Upward motion for gutter broom storage shall be regulated by an adjustable flow control valve.

G. Gutter broom disk to be recessed to prevent such items as cassette tape, string and small rope like material from being rapped around and damaging the gutter broom motor shaft seal. Disk to be designed as to allow water to drain off, therefore eliminating water damage to the gutter broom motor seals.

H. A center deflector shall be provided to direct debris thrown by the gutter brooms into the path of the pickup head. Deflector shall be positioned under the belly of the sweeper and in between the gutter brooms. Deflector to raise and lower with the pick-up head.

I. Each gutter broom shall additionally incorporate a hydraulically actuated tilt capability of 27 degrees remotely controlled from the console in the cab to allow instant adjustment for debris removal from deep gutter (such as those resulting from multiple overlays of blacktop).

J. Each gutter broom shall have Gutter Broom Extension Override (GEO) with in-cab controls to be able to extend and retract while in sweeping mode. This will allow the gutter brooms to scrub the pavement surface in front of the pickup head. All controls shall be in-cab. At no time shall the operator have to leave the cab to activate this function. The system to be activated by an electric linear actuator.

DUST CONTROL SYSTEM:

A. Water spray to be supplied by an electric diaphragm water pump. The water pump to produce a minimum of 40 PSI, with a minimum 5.88 gpm. The water pump to automatically disengage when the water supply is depleted. Pump shall be mounted below water tank bottom level.

B. Water tank capacity not to be less than 240 gallons (500 gallons for sweepers Mounted on a Cab-over chassis) and shall be constructed of polyethylene for strength and corrosion resistance.

C. A minimum 16ft.-8in. long fire hydrant fill hose shall be provided with 2.5" NST coupling to fill water tank. A minimum 2" air gap shall be provided between water fill tube and water tank. Hydrant hose shall include a hydrant wrench and hose storage rack.

D. Water system to be filtered by a 100 mesh cleanable filter located between tank and water pump. For ease of cleaning, water filter to be at ground level. Water shut-off valve shall be provided to allow cleaning filter without losing water supply.

E. 2 each adjustable spray nozzles shall be located at each gutter broom.

F. Dust suppression system to include two spray nozzles at the front axle, left nozzle to come on when left gutter broom water is use and right nozzle to come on when right gutter broom water is in use.

G. Each water spray function to have its own independent on/off cab controlled solenoid valve.

H. An in-cab water level gauge must give operator constant visibility of water system levels.

I. Water spray nozzles shall provide as follows: five nozzles at pickup head, two nozzles inside hopper, two nozzles at the right gutter broom, two nozzles at the left gutter broom, two nozzles in the suction tube, and two at the front axle.

J. No part of the water system shall be made with ferrous metal.

K. The water system shall incorporate an air purge system for flushing of water lines.

L. Sweeper to be equipped with front spray bar with 7 nozzles. Spray bar to be mounted on front bumper.

OPERATING CONTROLS:

A. Sweeper shall be equipped with **dual steering and controls for left or right hand operations**. Center mounted steering or single steering is not acceptable. Dual steering shall NOT be installed by the sweeper manufacturer.

B. Auxiliary engine control and gauges shall be mounted on the control console inside the cab. They shall consist of: keyed ignition, electronic throttle control, leaf bleeder control, oil pressure gauge, water temperature gauge, voltmeter, tachometer, and hour meter. All gauges to be lighted. Shall include a diagnostic gauge with the ability to read and record engine error codes.

C. Console to have independent switches for operating left gutter broom, tilt and GEO, right gutter broom, tilt and GEO, and pickup head. All switches to be lighted and have international symbol for easy identification.

D. Console to have water pump on/off switch and low water level warning light. Independent water control switches for left gutter broom, right gutter broom, pickup head, hopper, front bumper, and nozzles at front axles. All switches to be lighted and have international symbols for easy identification.

E. Console to have independent switches for each gutter broom light, rear dump light, and safety strobe.

F. All sweeper main electrical systems to be separately fused at the control console by re-settable circuit breakers.

HAND HOSE EQUIPMENT:

A. Sweeper to have an auxiliary hand hose for cleaning remote areas inaccessible to the sweeping head and for cleaning out catch basins.

B. Hand hose to be 7- 8” in diameter, 12’ long, with spring boom and 52” long collection nozzle. Hand hose shall be stored on the rear of the sweeper. Hand hose shall be rubber and manufactured by Kanaflex or equal for the intended application.

C. A block off plate to be provided. Block off plate to have a storage rack outside of cab. For operator safety, no sweeper will be accepted that requires the block off plate to be stored in the cab.

SAFETY EQUIPMENT:

A. Sweeper to meet all federal motor vehicle safety standards. all lighting must be LED.

B. Sweeper shall include two hopper safety struts that lock hopper in the raised position during maintenance. Safety struts to be permanently mounted to sweeper. Operator to manually engage and disengage struts.

C. Sweeper shall be equipped with an LED amber strobe light with limb guard. LED Strobe to be mounted at the highest point at the rear of the sweeper.

D. The sweeper shall have two lower LED stoplights mounted into rear bumper at a height of 35 inches. The sweeper shall also have two integral high mounted LED stoplights mounted at a height of approximately 94 inches. For protection of the lights and to make cleanup easier the lights shall be integrally mounted in the sweeper body.

E. Two rear high mounted integral yellow alternating LED flashing lights to be provided. Lights shall be mounted at a height of approximately 94 inches above the ground.

F. Sweeper shall equipped with rear mounted slow moving vehicle emblem, backup alarm, cab mounted 5-lb fire extinguisher, and a warning triangle kit.

G. Permanent warning labels shall be provided at all hazard areas.

ACCESSORIES:

A. Sweeper must have a full width steel rear bumper mounted to frame.

B. 8" chrome or stainless cab mounted parabolic mirrors shall be provided to aid operator in observing gutter brooms. They shall be mounted below the mirrors on chassis doors.

C. An 18" wide X 10" tall X 24" deep lockable toolbox shall be provided. Access shall be from the curb side of sweeper.

PAINT COLOR:

A. The sweeper shall be printed with 1 coat of sealer/primer and 2 coats of DuPont Imron Elite Polyurethane paint or equal in the manufacturer's standard white color. Paint shall be lead free.

B. Gutter brooms, pickup head, sweeper and truck frame to be painted semi-gloss Polyurethane textured or equal black for long life.

SWEeper WARRANTY

A. Per manufacturers published warranty, sweeper shall be warranted to be free of defective materials and workmanship for a period of 12 months or 1,200 hours from date of acceptance. No exception.

B. Sweeper auxiliary engine shall be warranted for not less than 24 months or 2000 hours, whichever occurs first from date of acceptance. The successful bidder shall provide the manufacturer's recommended preventive maintenance service throughout the warranty period (cost included with bid proposal). Service interval periods to be stated upon delivery.

C. Sweeper hydraulic system shall be warranted for no less than 12 months or 1,200 hours, whichever occurs first from date of acceptance.

DELIVERY:

A. The unit shall be delivered completely assembled, serviced, and ready to operate. The bidder shall have a qualified service representative in attendance with the sweeper during the delivery start- up operations to make any adjustments needed and to give operator's instruction on the proper operation of the sweeper.

B. The bidder shall supply a complete sweeper manual. Manual's to include system/component description, sweeper operation, maintenance, troubleshooting, illustrated parts listing with part numbers, and schematics for the sweeper. Shall also include reproducible periodic maintenance schedules.

C. Auxiliary engine manuals to be provided. They are to consist of operations & maintenance, maintenance schedules, component technical manual, and an illustrated parts catalog.

Required Accessories

1. (1) set wheel chocks per truck.

- 2. (2) sets of all keys required for trucks. _____
- 3. (1) Line setting ticket (fast *moving parts list*) per truck. _____
- 4. All mounting hardware for license plates. _____

5. Back-Up Warning Alarm

An automatic, audible alarm shall be installed behind the rear axle and shall comply with the Society of Automotive Engineers published Back-up Alarm Standards (SAE J994). The alarm shall have a protective deflector shield.

Safety Equipment: Fire extinguisher and First aid kit shall be installed where they can be easily accessed by the operator along with any other equipment required to comply with DOT and OSHA regulations for Guam. _____

Warning Devices:

- 1. Each truck shall contain at least three (3) reflectorized triangle road warning devices mounted in an accessible place in the driver's compartment or outside storage compartment. These devices must meet requirements in FMVSS 125. _____

Note:

- 1) Equipment shall be fully assembled with all attachments \ implementations.
- 2) Factory recommended Pre-Operation serviced.
- 3) Operation ready upon delivery to DPW.

Markings:

Permanent\Visible adhesive markings must be installed upon delivery. Marking shall include the following: (on both sides of cab)

- 1) Government of Guam \ For official use only
- 2) Department \Agency Logo. (Contact Dept. representative for design)
- 3) 2 inch lettering required.

Required Manuals: (2 ea. Hard copy & CD ROM Illustrated all in English)

Operator's, Shop Repair & Preventive Maintenance and parts manuals for all components of equipment delivered. To include troubleshooting and diagnostic techniques.

Line setting ticket; fast moving parts list.

Build Sheet: A factory certified document that states the standard and optional features provided on the equipment offered with this proposal shall be included upon delivery. (*A manufacturers brochure dose not satisfy this requirement*).

() Yes, as requested:

() NO, remarks: _____

Factory Recalls

All factory recalls, modification, news bulletins, illustrations, etc. shall be routed to DPW Transportation Maintenance division throughout the life of the equipment.

Yes, as requested:

NO, remarks: _____

Training Required:

The successful bidder shall provide basic training associated with the equipment delivered. Government of Guam personnel shall be briefed on but not limited to the following:
Safe and efficient operating skills, Pre \ Post operation points of emphasis and Preventive Maintenance.

Yes, as requested:

NO, remarks: _____

Warranty: *(All guarantee, warranty, and service periods begin on date of acceptance).*

The successful bidder shall guarantee all standard parts, components of the chassis delivered to be free from defects in material and workmanship for the period of (1) year / 1,200 miles or hours whichever comes first starting at the date of acceptance. **Unlimited** to include lights, fuses etc. **Unless defect is determined to be caused by obvious operator negligence.**

Yes, as requested:

NO, remarks: _____

The successful bidder shall also provide the manufacture's standard or extended Chassis warranty. (No less than 24 months 24,000 miles whichever comes first) **Certification of Manufacturer's warranty and its limitations will be provided upon delivery of the equipment.**

Yes, as requested:

NO, remarks: _____

Service\ Preventive maintenance:

Successful bidder will perform all manufacture's recommended service through the duration of stated manufacturer's standard or extended powertrain warranty period (**no less than 24 months\24,000 miles whichever comes first at no additional cost to the Government of Guam.**) **Documentation\Service contract shall be included with the delivery of equipment.**

Yes, as requested:

NO, remarks: _____

Warranty and service conditions:

The successful bidder shall be fully responsible to entertain, address, negotiate and schedule any and all warranty related issues whether in house or with outside vendors.

- Yes**, as requested:
- NO**, remarks: _____

The successful bidder shall provide service such as preventive maintenance, diagnostic, repair or adjustments of the equipment on government premises or field location. If repair cannot be done on location, bidder shall have equipment transfer to shop where repair can be executed at any time within the warranty\service period.

- Yes**, as requested:
- NO**, remarks: _____

The successful bidder shall be responsible for all cost associated with warranty and service.
To include but not limited to: Transport, diagnostic, parts, labor, disposal etc.

- Yes**, as requested:
- NO**, remarks: _____

During warranty period, the Government of Guam will not be liable for diagnostic fees not covered by warranty. **Exception: (Defect determined to be caused by obvious operator negligence).**

- Yes**, as requested:
- NO**, remarks: _____

All warranty and maintenance services shall be performed by manufacture\factory trained \ authorized technicians.

- Yes**, as requested:
- NO**, remarks: _____

Due to nature of services provided by the Government of Guam all maintenance and warranty repairs shall be subject to **priority scheduling and performed expeditiously.**

- Yes**, as requested:
- NO**, remarks: _____

If equipment is out of service for (30) thirty consecutive days or longer awaiting parts, service or repairs, the total amount of time shall be added to existing warranty period.

Yes, as requested:

NO, remarks: _____

NOTE:

Partial deliveries will not be accepted. All requirements specified must be provided at time of delivery.

Bidder shall identify on their bids any deviations from requirement on remarks column and state item being offered to evaluation processing. Failure to comply may result in rejection of bid.

Manufacture's brochure shall be furnished with this bid proposal.

Certificate of Origin will be provided at time of delivery.

Vehicle\Equipment must be inspected and pass inspection by authorized safety inspection station.

Equipment must be delivered to the **Department of Public Works** for inspection and acceptance.

BIDDING ON:

MANUFACTURED BY: _____

YEAR: _____

MAKE: _____

MODEL: _____

DATE OF DELIVERY: _____

APPROVED BY:



Paul N.I. Cepeda, Superintendent, T.M.D.
Department of Public Works

Date: _____

7/28/14

APPROVED BY:



CARL V. DOMINGUEZ, DIRECTOR
Department of Public Works

Date: _____

7/29/14

ITEM NO.	DESCRIPTION	QTY	Unit	Unit Price	Total
----------	-------------	-----	------	------------	-------

3.1	Vibratory Soil Compactor Single Smooth Drum (Latest Model)	1	ea.	\$ _____	\$ _____
-----	--	---	-----	----------	----------

As per the following specifications:

GENERALS:

These specifications have been written to describe minimum equipment and performance requirements to be supplied by the equipment manufacturer bidding. Reasonable test may be conducted upon delivery before acceptance.

The successful bidder shall furnish all necessary and desirable information instructions for the proper operation of the equipment.

The government reserves the right to accept and/or reject any and all bids, to waive any defects, irregularities, or specification discrepancies and to award the bid as council deems to be in the best interest of the government.

Each vehicle\equipment shall be new / unused, current model year or later production. **Shall meet all applicable DOT\USEPA and OSHA Requirements for Guam.**

Each vehicle\equipment shall be supplied with all standard equipment and accessories indicated in manufacturer's published literature/brochure unless specifically deleted as stated in this specification. Optional equipment necessary to meet the requirements of this specification shall be installed.

SPECIFICATIONS:

Engine:

70HP , Diesel.
Must operate with fuel available on Guam.
Fuel\Water separator with see through inspection Panel or cup.

BIDDING ON / REMARKS:

Transmission: Manufacturer's standard equipped.

Operating Weight:

10,700 lbs.

Weight @ Front Drum:

5,500 lbs.

Drum\Compaction Width:

56 inches

Vibration Amplitudes:

Dual amplitudes.

Centrifugal Force:

Dual forces.

Drum Scrapers:

Dual- Standard type.

Rear Axle:

No-spin type.

Steering: _____
Manufacturer's Standard with Steering Wheel.

Controls: _____
Manufacturer's Standard; with lockable control panel.

Brakes: _____
Manufacturer's standard ; Service and Parking brake system. With emergency stop feature.

Tires: _____
Standard Size Pneumatic with 1 ea. Full size spare tire and rim.

Color: _____
Manufacturer's standard which complies industry standards.

Cab Operator's Station: _____
Standard OROPS\FOPS with Canopy And an adjustable air ride suspension seat and or vibration- isolated platform. Seat belt.

_____ To include all manufacturer's standard features as stated in brochure.

Overall Vehicle: _____
To include all manufacturer's standard features as stated in brochure. Must meet all applicable DOT and OSHA requirements for equipment in this class. (Any applicable safety and anti- vandalism options as stated in the manufacturer's brochure shall be provided).

Safety Equipment: _____
Fire extinguisher and First aid kit shall be installed where they can be easily accessed by the operator along with any other equipment required to comply with DOT and OSHA regulations for Guam .

Additional options:

Lighting: Standard (2ea.) Front & Rear working lights.

Rear View Mirror.

Color: Standard

Backup alarm:

Strobe beacon light (Flush mounted or magnetic on top of canopy.

Built-in tie downs 4 ea. for transport of equipment.

Full tank of fuel.

Note:

- 1) Equipment shall be fully assembled with all attachments \ implements.
- 2) Factory recommended Pre-Operation serviced.
- 3) Operation ready upon delivery to DPW.

Required Manuals: (2 ea. Hard copy & CD ROM Illustrated all in English)

Operator's, Shop Repair & Preventive Maintenance and parts manuals for all components of equipment delivered. To include troubleshooting and diagnostic techniques.

Line setting ticket; fast moving parts list.

Markings: Permanent\Visible adhesive markings must be installed upon delivery. Marking shall include the following: (on both sides of equipment)

- 1) Government of Guam \ For official use only (to include equipment number)
- 2) Department \ Agency Logo. (Contact Dept. representative for design)
- 3) 2 inch lettering required.

Build Sheet: A factory certified document that states the standard and optional features provided on the equipment offered with this proposal shall be included upon delivery. (*A manufacturers brochure dose not satisfy this requirement*).

Yes, as requested:

NO, remarks: _____

Factory Recalls

All factory recalls, modification, news bulletins, illustrations, etc. shall be routed to DPW Transportation Maintenance division throughout the life of the equipment.

Yes, as requested:

NO, remarks: _____

Training Required:

The successful bidder shall provide basic training associated with the equipment delivered. Government of Guam personnel shall be briefed on but not limited to the following:
Safe and efficient operating skills, Pre \ Post operation points of emphasis and Preventive Maintenance.

Yes, as requested:

NO, remarks: _____

Warranty: (*All guarantee, warranty, and service periods begin on date of acceptance*).

The successful bidder shall **guarantee** all parts, components and attachments associated with the equipment delivered to be free from defects in material and workmanship for the period of 6 months /600 hours whichever comes first, starting at the date of acceptance. **Unlimited** to include lights, fuses etc. **Unless defect is determined to be caused by obvious operator negligence.**

Yes, as requested:

NO, remarks: _____

The successful bidder shall also provide the manufacturer's standard. (No less than 12 months\1,500 hours whichever comes first) **Certification of Manufacturer's warranty and its limitations will be provided upon delivery of the equipment.**

- Yes, as requested:
- NO, remarks: _____

Service\ Preventive maintenance:

Successful bidder will perform all manufacturer's recommended service through the duration of stated manufacturer's standard warranty period (**no less than 12 months\1,500 hours whichever comes first at no additional cost to the Government of Guam.**) Documentation\Service contract shall be included with the delivery of equipment.

- Yes, as requested:
- NO, remarks: _____

Warranty and service conditions:

The successful bidder shall be fully responsible to entertain, address, negotiate and schedule any and all warranty related issues whether in house or with outside vendors.

- Yes, as requested:
- NO, remarks: _____

The successful bidder shall provide service such as preventive maintenance, diagnostic, repair or adjustments of the equipment on government premises or field location. If repair cannot be done on location, bidder shall have equipment transfer to shop where repair can be executed at any time within the warranty\service period.

- Yes, as requested:
- NO, remarks: _____

The successful bidder shall be responsible for all cost associated with warranty and service. **To include but not limited to: Transport, diagnostic, parts, labor, disposal etc.**

- Yes, as requested:
- NO, remarks: _____

During warranty period, the Government of Guam will not be liable for diagnostic fees not covered by warranty. **Exception: (Defect determined to be caused by obvious operator negligence).**

- Yes, as requested:
- NO, remarks: _____

All warranty and maintenance services shall be performed by manufacture\factory trained \ authorized technicians.

- Yes, as requested:
- NO, remarks: _____

Due to nature of services provided by the Government of Guam all maintenance and warranty repairs shall be subject to **priority scheduling and performed expeditiously.**

Yes, as requested:
 NO, remarks: _____

If equipment is out of service for (30) thirty consecutive days or longer awaiting parts, service or repairs, the total amount of time shall be added to existing warranty period.

Yes, as requested:
 NO, remarks: _____

NOTE:

Partial deliveries will not be accepted. All requirements specified must be provided at time of delivery.

Bidder shall identify on their bids any deviations from requirement on remarks column and state item being offered to evaluation processing. Failure to comply may result in rejection of bid.

Manufacturer's brochure shall be furnished with this bid proposal.


Certificate of Origin will be provided at time of delivery.

Equipment must be delivered to **the Department of Public Works** for inspection and acceptance.

BIDDING ON:

MANUFACTURED BY: _____
YEAR: _____
MAKE: _____
MODEL: _____
DATE OF DELIVERY: _____

APPROVED BY:



Paul N.I. Cepeda, Superintendent, T.M.D.
Department of Public Works

Date: 7/26/14

APPROVED BY:



CARL V. DOMINGUEZ, Director of Public Works

DATE: 8/1/14