

**INVITATION FOR BID**

ISSUING OFFICE:

GENERAL SERVICES AGENCY  
GOVERNMENT OF GUAM  
148 ROUTE 1, MARINE DRIVE  
PITI, GUAM 96915

*Ruth K*  
CLAUDIA S. ACFALLE  
Chief Procurement Officer

DATE ISSUED: JUNE 15, 2012

BID INVITATION NO: GSA-093-12

BID FOR: Radiation Detector and Dosimeter in One Kit

SPECIFICATION: See Attached

DESTINATION: OFFICE OF HOMELAND SECURITY

REQUIRED DELIVERY DATE: 60 Days Upon Receipt of Purchase Order

INSTRUCTION TO BIDDERS:

INDICATE WHETHER:  INDIVIDUAL  PARTNERSHIP  CORPORATION

INCORPORATED IN: Guam


This bid shall be submitted in duplicate and sealed to the issuing office above no later than (Time) 10:00AM, Date: 6/30/12 and shall be publicly opened. Bid submitted after the time and date specified above shall be rejected. See attached General Terms and Conditions, and Sealed Bid Solicitation for details.

The undersigned offers and agrees to furnish within the time specified, the articles and services at the price stated opposite the respective items listed on the schedule provided, unless otherwise specified by the bidder. In consideration to the expense of the Government in opening, tabulating, and evaluating this and other bids, and other considerations, the undersigned agrees that this bid remain firm and irrevocable within 60 calendar days from the date opening to supply any or all the items which prices are quoted.

NAME AND ADDRESS OF BIDDER:  
INDUSTRIAL HYGIENE  
PROFESSIONALS, INC.

P.O. Box 5086  
HAGATNA, GUAM 96932


SIGNATURE AND TITLE OF PERSON  
AUTHORIZED TO SIGN THIS BID:

 PRESIDENT

AWARD: CONTRACT NO.: GSA-093-12 AMOUNT: \$57,148.00 DATE: 6/29/12

ITEM NO(S). AWARDED: 1.1 thru 4.1 Radiation Detector & Dosimeter in  
One Kit


CONTRACTING OFFICER:

 6/29/2012  
CLAUDIA S. ACFALLE  
Chief Procurement Officer

NAME AND ADDRESS OF CONTRACTOR:  
INDUSTRIAL HYGIENE  
PROFESSIONALS, INC.

P.O. Box 5086  
HAGATNA, GUAM 96932

SIGNATURE AND TITLE OF PERSON  
AUTHORIZED TO SIGN THIS CONTRACT:

 PRESIDENT